


BESSEY Clamping- and Cutting Technology

Pricelist 2019/2020



Simply better.



Prices valid from April 1st, 2019

Alphabetic register

A

Adapter for multifunction table STC-SET-T20	18
All-steel screw clamp GZ with 2K plastic handle	8
All-steel screw clamp GZ with tommy bar	9
All-steel screw clamp GZ with tried-and-tested wooden handle	9
All-steel screw clamp classiX GS with tommy bar	9
All-steel screw clamp classiX GS with tried-and-tested wooden handle	9
All-steel table clamp GTR	22
All-steel table clamp GTRH with lever handle	22
Aluminium mini clamp AM	21
American pattern snips D146	33
Angle clamp WS	23
Angled combi snips D48A	34
Angled combi snips D48A-2	33
Angle door frame straightening clamp WTR	26
Area pressure clamps FK	20
Attachment TW28HO	16, 17
Aviation snips D16	29
Aviation snips D16L	29
Aviation snips D16S	30

B

Band clamp BAN 400	23
Band clamp BAN 700	23
BAS-CB compact clamp, fixing hole closed	17
BAS-C compact clamp, fixing hole open	16
Base unit BASO	17
Berlin pattern snips D202/D102	32
Box clamp KS	20

C

Cable cutters D49	34
Cable cutters D49-2	33
C-clamp CDF-C	13
C-clamp SC	13
C-clamp VC, stable	13
C-frame edge clamp KT	24
C-grip GRZC	14
Clamping element with fixed throat depth TW	15, 24
Clamping element with gripping arm TW28GRS	16
Clamping element with special pressure plate TWM28	15
Clamping element with variable throat depth TWV	15, 24
Clamp trolley ZW 1	27
Clamp trolley ZW 2	27
Claw clamp GRA	12
Claw machine clamp GRS	17
Combinox D50	34
Complete sliding arm for GSV sizes	13
Complete sliding arm for SLV sizes	13
Corner seaming and clinching pliers D335	37

D

Deep throat clamp TGNT with tried-and-true wooden handle	8
Deep throat screw clamp TGNT with tommy bar	8
Demonstration trolley VFW, unstocked	27
Die-cast zinc screw clamp LM	21
Display, unstocked DVK	33
Display, unstocked DVK2	33
Door frame assembly device TMS	26
Door frame brace extension TUX	25
Door frame clamp set TU-TRAGE	25
Door frame clamp TU	25
Door frame straightening clamp TFM	25
DSET15	30
DSET16	30
DSET29-15	28
DSET-SF3	31

E

Earth (ground) clamp CP	14
Earth (ground) clamp LP / TP with thumb screw	14
Earth (ground) clamp LP / TP with tried-and-true wooden handle	14
Earth (ground) clamp TGP	14
Earth (ground) clamp TP with tommy bar	14
Edge clamp Kantenfix KF	24
Edge clamp KT	24
Electricians' scissors D53	35

English pattern snips D159	33
Extension TWX	16

F

Fitters' clamp classiX GSL	11
Fitters' clamp SLM	10
Flat-nosed pliers for sheet metal work D301	37
Flooring and clamping system SVH/SVG	27
Flooring clamp PVZ	27
Folding pliers D355	37
Folding utility knife DBK-EU	34
Framing set KP	19

G

GearKlamp GK	20
GearKlamp sales display GK-D	27
GSV size rails	13
Gutter support bowing pliers open shap D396	37

H

Heavy duty malleable cast iron screw clamp TGKR with tried-and-true wooden handle	7
Heavy duty malleable cast iron screw clamp TGK with 2-component plastic handle	4
Heavy duty malleable cast iron screw clamp TGK with tommy bar	6
Heavy duty malleable cast iron screw clamp TGK with tried-and-true wooden handle	5
Heavy duty malleable cast iron screw clamp TKPN with tried-and-true wooden handle	7
High-performance clamp classiX GSM	11
High-performance clamp SGM	11
High-performance clamp SGTm, large throat depth	11
High-performance clamp STBM, heavy duty	11
High-performance clamp STBS, extremely heavy duty	11
High-performance clamp STBVC, extremely heavy duty	11
High-tech lever clamp KliKlamp counter display KLI-D	21
High-tech lever clamp KliKlamp KLI	21
High-tech lever clamp KliKlamp set in systainer KLI-S	21
Hold down table clamps BS	17
Hold down table clamps BSG	17
Horizontal toggle clamp with horizontal base plate STC-HH	18
Horizontal toggle clamp with horizontal base plate STC-HH with adapter set	25
Household and dressmakers' shears D840	35
HSS pelican snips D418	31
HSS punch snips D407	30
HSS shape and straight cutting snips D27AH	30
HSS shape and straight cutting snips D416	31
HSS-TiN shape and straight cutting snips D27AH-TiN	30

I

Ideal snips, manoeuvrable D08	29
Industrial and professional shears D860	35
Jewellers' snips D70/D71	35
Jewellers' snips D72	35
Jewellers' snips D74/D75	35
Jewellers' snips D76	35

K

K Body parallel clamp extender KBX	19
K Body REVO parallel clamp KRE	19
Knife-set DBKPH-SET	34
KombiKlamp SG-VAD	11

L

Lever clamp classiX GSH	10
Lever clamp GH	10
Lever clamp SGHS, heavy duty	10
Light duty bar clamp U-style LMU	21
Lightweight parallel clamp UK UniKlamp	20

M

Malleable cast iron screw clamp TG with 2K plastic handle	4
Malleable cast iron screw clamp TG with tommy bar	5
Malleable cast iron screw clamp TG with tried-and-true wooden handle	5
Malleable cast iron screw clamp TGRC with tommy bar	7
Malleable cast iron screw clamp TGRC with tried-and-true wooden handle	7
Malleable cast iron screw clamp TPN with 2K plastic handle	6
Malleable cast iron screw clamp TPN with tried-and-true wooden handle	6
Mini-folding pliers D331-22/D341-22	37

Mini Vice S 10	22
Mitre clamping system MCX	23
Multi angle pad VAD (2 pcs./bag)	14
Multi-purpose cutters D47-2/D48-2	33
Multi-purpose cutters D47/D48	33
Multi-purpose shears D820	35
Multi-purpose shears D821	35
MULTISNIP Longstyle D22A	29
MULTISNIP Master D51A	33
Multitool DBST	34
N	
Needle nose spring clamp Clippix XCL	23
O	
OMEGA screw clamp GMZ with 2-component plastic handle	10
OMEGA-screw clamp GMZ with tommy bar	10
One-handed clamp DuoKlamp DUO	20
One-handed clamp EHZ with 2-component handle	20
One-handed clamp EZ / EZS	20
One-handed edge clamp EKT	23
Original BESSEY all-steel screw clamp GZ with 2K plastic handle	8
Original BESSEY all-steel screw clamp GZ with tommy bar	9
Original BESSEY all-steel screw clamp GZ	
with tried-and-tested wooden handle	9
Original BESSEY malleable cast iron screw clamp TG	
with 2K plastic handle	4
Original BESSEY malleable cast iron screw clamp TG with tommy bar	5
Original BESSEY malleable cast iron screw clamp TG	
with tried-and-true wooden handle	5
P	
Panel carrier KFP	24
Paperhangers' and paper shears D853	35
Parallel grip GRZ	13
Parallel screw clamp PA	22
Pelican snips D218/D118	31
Pipe clamping set BPC	26
Pipe grip GRZRO	14
Pipe-pulling pliers D36	37
Pressure cap strips SKS (2 pcs./bag)	5, 9, 10
Pressure piece GRD (2 pcs./bag)	12
Punch snips D207/D107	32
Punch snips with curved blades D208	32
Push/pull clamp with horizontal base plate STC-IHH	18
R	
Rafter clamp SPZ	20
Round nosed pliers D311	37
S	
Safety strap cutter D123S	36
Sales display K Body REVO parallel clamp KRE	19
Sales display ST30-D	27
Sash clamps TAN with I-profile 80 x 42 x 3.9 mm	26
Sash clamps TB with T-profile 40 x 40 x 5 mm	26
Sash clamps TL, light with I-profile 37 x 11 x 4.5 mm	26
Seaming and clinching pliers D33/D34/D35	36
Seaming and clinching pliers D33-P/D34-P/D35-P	36
Seaming tool PS 55	25
Seaming tool PS 130, big and strong	25
Shape and straight cutting snips D27A	28
Shape and straight cutting snips D29ASS-2	28
Shape and straight cutting snips D39ASS	28
Shape and straight cutting snips D212/D116	31
Shape and straight cutting snips D216...-SBSK	31
Shape and straight cutting snips, robust D17ASS/D17A	29
Shape and straight cutting snips, small and manoeuvrable D15A	30
Shape cutting punch snips D214/D114	32
Shape cutting snips D27	29
Shape cutting snips D29SS-2	28
SLV size rails	13
Spacer AV2 (4 pcs./bag)	26
Spacer PVA	26
Spare blades DBK	34
Special pressure plate	13
Special pressure plate for TWM28	15

Special pressure plates for SPZ80K	21
Spring clamp Clippix XC	23
Spring clamp VarioClippix XV	22
Spring clamp VarioClippix XV	22
Squeeze-folding pliers D336	37
STC accessory set for multifunction table	18, 24
Steel strap cutter D122A	36
Steel strap cutter D122N	36
Straight cutting snips D27B	29
Straight cutting snips D29BSS-2	28
T	
Table clamp	19, 22
Telescopic drywall support ST	27
Tilting adapter TW28AV	16
Tilting K Body parallel clamp adapter KR-AS (2 pcs./bag)	19
Toggle clamp adapter TWA-STC	16
Toggle Clamp Systainer STC-S-MFT	22, 25
U	
Universal snips D206/D106	32
Universal snips with wide blade D106A	32
U-shaped all-steel screw clamp GUZ	12
U-shaped high-performance clamp SGU	12
U-shaped high-performance clamp STBU, heavy duty	12
U-shaped lever clamp GUH	12
V	
Variable high performance clamps – Complete set GSV	12
Variable high-performance clamps – Complete set SLV	12
Variable jaw KRE-VO	19
Vario corners BVE (6 pcs./bag)	23
Variogrip GRZV	14
Vario K Body REVO parallel clamp KREV	18
Vario table clamping attachment TWVAD (2 pcs./bag)	16
Vertical toggle clamp with open arm and horizontal base plate STC-VH	17
W	
Welders' angle clamps WSM	15
Welding clamp set SM 10	15
Window installation clamp FRK	26
Wood Klemmy HKL	21
Workbench adapter TW16AW	24

All prices are non-binding recommended prices without sales tax.

V1 – V3 = Clamping Technology discount groups

V4 – V6 = Cutting Technology discount groups

VPE = Packaging unit

You have to place your orders only in packaging units.

L = Left cut design

SB = On carded hang pack



Standard tin snips with a rocker spring, available on request for an extra charge.





The BESSEY Product Development Department reserves the right for technical alterations.

Errors and omissions excepted to the best of our knowledge the information supplied is accurate.




Note that you are not entitled to any claims from the contact or delict, in particular product liability claims due to personal injuries or material damage, from our company if you do not observe our **warning and usage notices**.





BESSEY Price list valid from April 1st, 2019

		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
	Original BESSEY malleable cast iron screw clamp TG with 2-component plastic handle								
	<ul style="list-style-type: none"> • Clamping force up to 6,000 N • High-quality 2-component plastic handle • Pressure plates can be replaced by hand – no tools required (from 80 mm throat depth) • With protective caps on the clamping surfaces • Stable profiled rail with serration • BESSEY anti-slip system (from 80 mm throat depth) 	TG10-2K	100	50	15 x 5	4008158031620	10	V1	14,60
		TG12-2K	120	60	20 x 5	4008158031637	10	V1	19,50
		TG16-2K	160	80	25 x 6	4008158029979	10	V1	23,30
		TG20B8-2K	200	80	25 x 6	4008158029986	10	V1	23,60
		TG25B8-2K	250	80	25 x 6	4008158029993	10	V1	24,30
		TG30B8-2K	300	80	25 x 6	4008158030005	10	V1	25,50
		TG40B8-2K	400	80	25 x 6	4008158030012	10	V1	27,60
		TG20-2K	200	100	27 x 7	4008158030029	10	V1	32,00
		TG25S10-2K	250	100	27 x 7	4008158030036	10	V1	35,20
		TG30S10-2K	300	100	27 x 7	4008158030043	10	V1	37,20
		TG40S10-2K	400	100	27 x 7	4008158030050	10	V1	40,50
		TG50S10-2K	500	100	27 x 7	4008158030067	10	V1	42,30
		TG25-2K	250	120	29 x 9	4008158030074	10	V1	38,80
		TG30S12-2K	300	120	29 x 9	4008158030081	10	V1	41,90
		TG40S12-2K	400	120	29 x 9	4008158030098	10	V1	45,20
		TG50S12-2K	500	120	29 x 9	4008158030104	10	V1	48,60
		TG60S12-2K	600	120	29 x 9	4008158030111	5	V1	51,60
		TG80S12-2K	800	120	29 x 9	4008158030128	5	V1	57,80
		TG100S12-2K	1000	120	29 x 9	4008158030135	5	V1	64,60
		TG30-2K	300	140	32 x 10	4008158030142	10	V1	48,30
		TG40S14-2K	400	140	32 x 10	4008158030159	5	V1	54,40
		TG50S14-2K	500	140	32 x 10	4008158030166	5	V1	58,90
		TG60S14-2K	600	140	32 x 10	4008158030173	5	V1	63,10
		TG80S14-2K	800	140	32 x 10	4008158030180	5	V1	71,90
		TG100S14-2K	1000	140	32 x 10	4008158030197	5	V1	81,90
		TG40-2K	400	175	32 x 10	4008158030203	5	V1	58,60
		TG50S17-2K	500	175	32 x 10	4008158030210	1	V1	64,80
		TG60S17-2K	600	175	32 x 10	4008158030227	1	V1	68,70
		TG80S17-2K	800	175	32 x 10	4008158030234	1	V1	77,40
		TG100S17-2K	1000	175	32 x 10	4008158030241	1	V1	86,40
	Heavy duty malleable cast iron screw clamp TKG with 2-component plastic handle								
	<ul style="list-style-type: none"> • Clamping force up to 7,000 N • Strengthened design for higher clamping force and wider opening widths • High-quality 2-component plastic handle • Pressure plates can be replaced by hand – no tools required • Stable profiled rail with serration • BESSEY anti-slip system 	TGK40-2K	400	120	35 x 11	4008158030258	5	V1	54,30
		TGK50-2K	500	120	35 x 11	4008158030265	5	V1	59,50
		TGK60-2K	600	120	35 x 11	4008158030272	5	V1	62,70
		TGK80-2K	800	120	35 x 11	4008158030289	5	V1	70,90
		TGK100-2K	1000	120	35 x 11	4008158030296	5	V1	79,10
		TGK125-2K	1250	120	35 x 11	4008158030302	1	V1	86,00
		TGK150-2K	1500	120	35 x 11	4008158030319	1	V1	94,30
		TGK200-2K	2000	120	35 x 11	4008158030326	1	V1	114,80
		TGK250-2K	2500	120	35 x 11	4008158030333	1	V1	138,90
		TGK300-2K	3000	120	35 x 11	4008158030340	1	V1	164,40




		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
	Original BESSEY malleable cast iron screw clamp TG with tried-and-true wooden handle								
	<ul style="list-style-type: none">• Clamping force up to 6,000 N• Ergonomically shaped wood handle• Pressure plates can be replaced by hand – no tools required (from 80 mm throat depth)• With protective caps on the clamping surfaces• Stable profiled rail with serration• BESSEY anti-slip system (from 80 mm throat depth)	TG10	100	50	15 x 5	4008158008240	10	V1	13,90
		TG15B5	150	50	15 x 5	4008158008646	10	V1	15,80
		TG20B5	200	50	15 x 5	4008158008721	10	V1	16,30
		TG12	120	60	20 x 5	4008158008448	10	V1	18,60
		TG20B6	200	60	20 x 5	4008158008738	10	V1	19,20
		TG30B6	300	60	20 x 5	4008158008899	10	V1	22,60
		TG16	160	80	25 x 6	4008158008677	10	V1	22,20
		TG20B8	200	80	25 x 6	4008158008745	10	V1	22,50
		TG25B8	250	80	25 x 6	4008158008790	10	V1	23,20
		TG30B8	300	80	25 x 6	4008158008905	10	V1	24,40
		TG40B8	400	80	25 x 6	4008158009254	10	V1	26,50
		TG20	200	100	27 x 7	4008158008707	10	V1	30,70
		TG25S10	250	100	27 x 7	4008158008837	10	V1	33,90
		TG30S10	300	100	27 x 7	4008158008943	10	V1	35,90
		TG40S10	400	100	27 x 7	4008158009292	10	V1	39,20
		TG50S10	500	100	27 x 7	4008158010564	10	V1	41,00
		TG25	250	120	29 x 9	4008158008769	10	V1	37,20
		TG30S12	300	120	29 x 9	4008158008967	10	V1	40,30
		TG40S12	400	120	29 x 9	4008158010311	10	V1	43,60
		TG50S12	500	120	29 x 9	4008158010588	10	V1	47,00
		TG60S12	600	120	29 x 9	4008158010779	5	V1	50,00
		TG80S12	800	120	29 x 9	4008158010960	5	V1	56,20
		TG100S12	1000	120	29 x 9	4008158008264	5	V1	63,00
		TG30	300	140	32 x 10	4008158008868	10	V1	46,50
		TG40S14	400	140	32 x 10	4008158010335	5	V1	52,60
		TG50S14	500	140	32 x 10	4008158010601	5	V1	57,10
		TG60S14	600	140	32 x 10	4008158010793	5	V1	61,30
		TG80S14	800	140	32 x 10	4008158010984	5	V1	70,10
		TG100S14	1000	140	32 x 10	4008158008288	5	V1	80,10
		TG40	400	175	32 x 10	4008158009223	5	V1	56,80
		TG50S17	500	175	32 x 10	4008158010625	1	V1	63,00
		TG60S17	600	175	32 x 10	4008158010816	1	V1	66,90
TG80S17	800	175	32 x 10	4008158011004	1	V1	75,60		
TG100S17	1000	175	32 x 10	4008158008301	1	V1	84,60		
	Pressure cap strips SKS (2 pcs./bag)								
	<ul style="list-style-type: none">• For screw clamps• For gentle clamping• May be applied on both sides• Cut them to size	SKS10/20				4008158025582	1	V3	7,00
		SKS20/40					4008158025599	1	V3
	Heavy duty malleable cast iron screw clamp TKG with tried-and-true wooden handle								
	<ul style="list-style-type: none">• Clamping force up to 7,000 N• Heavy duty, reinforced design for higher clamping force and wider opening widths• Ergonomically shaped wood handle• Pressure plates can be replaced by hand – no tools required• Stable profiled rail with serration• BESSEY anti-slip system	TGK40	400	120	35 x 11	4008158011400	5	V1	52,50
		TGK50	500	120	35 x 11	4008158011448	5	V1	57,70
		TGK60	600	120	35 x 11	4008158011479	5	V1	60,90
		TGK80	800	120	35 x 11	4008158011509	5	V1	69,10
		TGK100	1000	120	35 x 11	4008158011134	5	V1	77,30
		TGK125	1250	120	35 x 11	4008158011165	1	V1	84,20
		TGK150	1500	120	35 x 11	4008158011196	1	V1	92,50
		TGK200	2000	120	35 x 11	4008158011257	1	V1	113,00
		TGK250	2500	120	35 x 11	4008158011318	1	V1	137,10
		TGK300	3000	120	35 x 11	4008158011349	1	V1	162,60
	Original BESSEY malleable cast iron screw clamp TG with tommy bar								
	<ul style="list-style-type: none">• Clamping force up to 6,000 N• Tommy bar with rounded ends for simple transfer of force when clamping• Pressure plates can be replaced by hand – no tools required• With protective caps on the clamping surfaces• Stable profiled rail with serration• BESSEY anti-slip system	TG16K	160	80	25 x 6	4008158008691	10	V1	23,30
		TG20K	200	100	27 x 7	4008158008752	10	V1	32,00
		TG25K	250	120	29 x 9	4008158008813	10	V1	38,80
		TG30S12K	300	120	29 x 9	4008158025032	10	V1	41,90
		TG40S12K	400	120	29 x 9	4008158025049	10	V1	45,30
		TG60S12K	600	120	29 x 9	4008158025056	5	V1	51,60
		TG30K	300	140	32 x 10	4008158008929	10	V1	48,30
		TG40K	400	175	32 x 10	4008158009278	5	V1	58,60






BESSEY Price list valid from April 1st, 2019

		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
Heavy duty malleable cast iron screw clamp TKG with tommy bar									
	<ul style="list-style-type: none">• Clamping force up to 7,000 N• Strengthened design for higher clamping force and wider opening widths• Tommy bar with rounded ends for simple transfer of force when clamping• Pressure plates can be replaced by hand – no tools required• Stable profiled rail with serration• BESSEY anti-slip system	TKG50K	500	120	35 x 11	4008158011462	5	V1	59,50
		TKG100K	1000	120	35 x 11	4008158011158	5	V1	79,10
		TKG150K	1500	120	35 x 11	4008158011219	1	V1	94,30
		TKG200K	2000	120	35 x 11	4008158011271	1	V1	114,80
		TKG250K	2500	120	35 x 11	4008158011332	1	V1	138,90
		TKG300K	3000	120	35 x 11	4008158011363	1	V1	164,40
Malleable cast iron screw clamp TPN with 2-component plastic handle									
	<ul style="list-style-type: none">• Clamping force up to 5,500 N• High-quality 2-component plastic handle• With protective caps on the clamping surfaces• Stable profiled rail with serration	TPN16BE-2K	160	80	25 x 6	4008158031088	10	V1	17,80
		TPN20BE-2K	200	100	27 x 7	4008158031095	10	V1	24,30
		TPN25BE-2K	250	120	29 x 9	4008158030456	10	V1	29,50
		TPN40S12BE-2K	400	120	29 x 9	4008158031118	10	V1	34,30
		TPN50S12BE-2K	500	120	29 x 9	4008158031125	10	V1	36,90
		TPN60S12BE-2K	600	120	29 x 9	4008158031132	5	V1	39,10
		TPN80S12BE-2K	800	120	29 x 9	4008158031149	5	V1	43,80
		TP100S12BE-2K	1000	120	29 x 9	4008158031156	5	V1	48,90
		TPN30BE-2K	300	140	32 x 10	4008158030524	10	V1	36,70
TPN40BE-2K	400	175	32 x 10	4008158030579	5	V1	44,40		
Malleable cast iron screw clamp TPN with tried-and-true wooden handle									
	<ul style="list-style-type: none">• Clamping force up to 5,500 N• Ergonomically shaped wood handle• With protective caps on the clamping surfaces• Stable profiled rail with serration	TPN10BE	100	50	15 x 5	4008158015484	10	V1	10,40
		TPN15B5BE	150	50	15 x 5	4008158015545	10	V1	11,90
		TPN20B5BE	200	50	15 x 5	4008158015606	10	V1	12,20
		TPN12BE	120	60	20 x 5	4008158015521	10	V1	14,00
		TPN20B6BE	200	60	20 x 5	4008158015637	10	V1	14,40
		TPN16BE	160	80	25 x 6	4008158015576	10	V1	16,70
		TPN20B8BE	200	80	25 x 6	4008158015651	10	V1	16,90
		TPN25B8BE	250	80	25 x 6	4008158015736	10	V1	17,40
		TPN30B8BE	300	80	25 x 6	4008158015866	10	V1	18,30
		TPN20BE	200	100	27 x 7	4008158015682	10	V1	23,00
		TPN25S10BE	250	100	27 x 7	4008158015781	10	V1	25,40
		TPN30S10BE	300	100	27 x 7	4008158015910	10	V1	26,90
		TPN40S10BE	400	100	27 x 7	4008158016054	10	V1	29,40
		TPN25BE	250	120	29 x 9	4008158015767	10	V1	27,90
		TPN30S12BE	300	120	29 x 9	4008158015934	10	V1	30,20
		TPN40S12BE	400	120	29 x 9	4008158016078	10	V1	32,70
		TPN50S12BE	500	120	29 x 9	4008158016160	10	V1	35,30
		TPN60S12BE	600	120	29 x 9	4008158016252	5	V1	37,50
		TPN80S12BE	800	120	29 x 9	4008158016320	5	V1	42,20
		TP100S12BE	1000	120	29 x 9	4008158015453	5	V1	47,30
		TP125S12BE	1250	120	29 x 9	4008158018591	5	V1	52,90
		TP150S12BE	1500	120	29 x 9	4008158023199	5	V1	59,10
		TPN30BE	300	140	32 x 10	4008158015897	10	V1	34,90
		TPN40S14BE	400	140	32 x 10	4008158016108	5	V1	39,50
		TPN50S14BE	500	140	32 x 10	4008158016184	5	V1	42,80
		TPN60S14BE	600	140	32 x 10	4008158016276	5	V1	46,00
		TPN80S14BE	800	140	32 x 10	4008158016344	5	V1	52,60
		TP100S14BE	1000	140	32 x 10	4008158015460	5	V1	60,10
		TP150S14BE	1500	140	32 x 10	4008158023168	1	V1	78,40
		TP200S14BE	2000	140	32 x 10	4008158023328	1	V1	96,30
		TPN40BE	400	175	32 x 10	4008158016030	5	V1	42,60
		TPN60S17BE	600	175	32 x 10	4008158016306	5	V1	50,20
		TPN80S17BE	800	175	32 x 10	4008158016368	5	V1	56,70








		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
		Heavy duty malleable cast iron screw clamp TKPN with tried-and-true wooden handle							
	<ul style="list-style-type: none">• Clamping force up to 6,500 N• Strengthened design for higher clamping force and wider opening widths• Ergonomically shaped wood handle• Stable profiled rail with serration	TKPN50BE	500	120	35 x 11	4008158015361	5	V1	43,30
		TKPN60BE	600	120	35 x 11	4008158015378	5	V1	45,70
		TKPN80BE	800	120	35 x 11	4008158015385	5	V1	51,80
		TKPN100BE	1000	120	35 x 11	4008158015262	5	V1	58,00
		TKPN125BE	1250	120	35 x 11	4008158015279	1	V1	63,20
		TKPN150BE	1500	120	35 x 11	4008158015286	1	V1	69,40
		TKPN200BE	2000	120	35 x 11	4008158015309	1	V1	84,80
		Malleable cast iron screw clamp TGRC with tried-and-true wooden handle							
	<ul style="list-style-type: none">• Clamping force up to 5,500 N• Ergonomically shaped wood handle• With protective caps on the clamping surfaces• Stable solid flat rail with serration	TGRC10	100	50	15 x 5	4008158012902	10	V1	10,00
		TGRC15B5	150	50	15 x 5	4008158013046	10	V1	11,40
		TGRC20B5	200	50	15 x 5	4008158013176	10	V1	11,70
		TGRC12	120	60	20 x 5	4008158012995	10	V1	13,40
		TGRC20B6	200	60	20 x 5	4008158013206	10	V1	13,80
		TGRC30B6	300	60	20 x 5	4008158013541	10	V1	16,30
		TGRC16	160	80	25 x 6	4008158013084	10	V1	16,00
		TGRC20B8	200	80	25 x 6	4008158013244	10	V1	16,20
		TGRC25B8	250	80	25 x 6	4008158013398	10	V1	16,70
		TGRC30B8	300	80	25 x 6	4008158013572	10	V1	17,60
		TGRC20	200	100	27 x 7	4008158013152	10	V1	22,10
		TGRC25S10	250	100	27 x 7	4008158013442	10	V1	24,40
		TGRC30S10	300	100	27 x 7	4008158013626	10	V1	25,80
		TGRC40S10	400	100	27 x 7	4008158013848	10	V1	28,20
		TGRC25	250	120	29 x 9	4008158013350	10	V1	26,80
		TGRC30S12	300	120	29 x 9	4008158013657	10	V1	29,00
		TGRC40S12	400	120	29 x 9	4008158013886	10	V1	31,40
		TGRC50S12	500	120	29 x 9	4008158014050	10	V1	33,80
		TGRC60S12	600	120	29 x 9	4008158014197	5	V1	36,00
		TGRC80S12	800	120	29 x 9	4008158014333	5	V1	40,50
		TGRC100S12	1000	120	29 x 9	4008158012926	5	V1	45,40
		TGRC30	300	140	32 x 10	4008158013497	10	V1	33,50
		TGRC40S14	400	140	32 x 10	4008158013916	5	V1	37,90
		TGRC50S14	500	140	32 x 10	4008158014098	5	V1	41,10
		TGRC60S14	600	140	32 x 10	4008158014234	5	V1	44,10
		TGRC80S14	800	140	32 x 10	4008158014371	5	V1	50,50
		TGRC100S14	1000	140	32 x 10	4008158012933	5	V1	57,70
		TGRC150S14	1500	140	32 x 10	4008158025131	1	V1	75,20
		TGRC40	400	175	32 x 10	4008158013763	5	V1	40,90
		TGRC50S17	500	175	32 x 10	4008158014128	1	V1	45,40
		TGRC60S17	600	175	32 x 10	4008158014265	1	V1	48,20
		TGRC80S17	800	175	32 x 10	4008158014401	1	V1	54,40
		TGRC100S17	1000	175	32 x 10	4008158012940	1	V1	60,90
		Heavy duty malleable cast iron screw clamp TGKR with tried-and-true wooden handle							
	<ul style="list-style-type: none">• Clamping force up to 6,500 N• Strengthened design for higher clamping force and wider opening widths• Ergonomically shaped wood handle• Stable solid flat rail with serration	TGKR50	500	120	35 x 11	4008158011752	5	V1	41,50
		TGKR60	600	120	35 x 11	4008158011790	5	V1	43,80
		TGKR80	800	120	35 x 11	4008158011820	5	V1	49,80
		TGKR100	1000	120	35 x 11	4008158011530	5	V1	55,70
		TGKR125	1250	120	35 x 11	4008158011578	1	V1	60,60
		TGKR150	1500	120	35 x 11	4008158011608	1	V1	66,60
		TGKR200	2000	120	35 x 11	4008158011660	1	V1	81,40
		Malleable cast iron screw clamp TGRC with tommy bar							
	<ul style="list-style-type: none">• Clamping force up to 5,500 N• Tommy bar with rounded ends for simple transfer of force when clamping• With protective caps on the clamping surfaces• Stable solid flat rail with serration	TRC20KF	200	100	27 x 7	4008158026596	10	V1	23,40
		TRC25S10KF	250	100	27 x 7	4008158016542	10	V1	25,70
		TRC30S10KF	300	100	27 x 7	4008158016559	10	V1	27,10
		TRC40S10KF	400	100	27 x 7	4008158016580	10	V1	29,50
		TRC50S10KF	500	100	27 x 7	4008158016610	10	V1	30,80
		TRC25S12KF	250	120	29 x 9	4008158028446	10	V1	28,40
		TRC30S12KF	300	120	29 x 9	4008158028453	10	V1	30,60
		TRC40S12KF	400	120	29 x 9	4008158028460	10	V1	33,00
		TRC50S12KF	500	120	29 x 9	4008158016634	10	V1	35,40
		TRC60S12KF	600	120	29 x 9	4008158016665	5	V1	37,60
		TRC80S12KF	800	120	29 x 9	4008158016689	5	V1	42,10









BESSEY Price list valid from April 1st, 2019

		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
	Deep throat clamp TGN with tried-and-true wooden handle								
	<ul style="list-style-type: none"> • Clamping force up to 7,000 N • Heavy-duty design • Ergonomically shaped wood handle • Large, stable solid flat rail with serration • Rail dimensions great than and equal to 40 x 11 are ungalvanized 	TGN30T20	300	200	35 x 11	4008158012322	1	V1	64,30
		TGN40T20	400	200	35 x 11	4008158012391	1	V1	69,10
		TGN60T20	600	200	35 x 11	4008158012636	1	V1	78,40
		TGN80T20	800	200	35 x 11	4008158012766	1	V1	87,50
		TGN100T20	1000	200	35 x 11	4008158012216	1	V1	96,90
		TGN40T25	400	250	40 x 11	4008158012421	1	V1	87,80
		TGN60T25	600	250	40 x 11	4008158012667	1	V1	98,50
		TGN80T25	800	250	40 x 11	4008158012797	1	V1	108,50
		TGN100T25	1000	250	40 x 11	4008158012247	1	V1	119,20
		TGN40T30	400	300	45 x 12	4008158012469	1	V1	102,80
		TGN60T30	600	300	45 x 12	4008158012698	1	V1	115,40
		TGN80T30	800	300	45 x 12	4008158012827	1	V1	124,70
		TGN100T30	1000	300	45 x 12	4008158012278	1	V1	137,30
		TGN150T30	1500	300	45 x 12	4008158028781	1	V1	167,80
		TGN200T30	2000	300	45 x 12	4008158028798	1	V1	198,20
		TGN250T30	2500	300	45 x 12	4008158028804	1	V1	228,70
		TGN40T40	400	400	45 x 12	4008158012490	1	V1	151,60
		TGN60T40	600	400	45 x 12	4008158012728	1	V1	164,40
		TGN80T40	800	400	45 x 12	4008158012858	1	V1	177,00
		TGN100T40	1000	400	45 x 12	4008158012308	1	V1	189,70
		TGN30T50	300	500	45 x 12	4008158012377	1	V1	170,90
		TGN60T50	600	500	45 x 12	4008158012742	1	V1	189,70
		TGN80T50	800	500	45 x 12	4008158012872	1	V1	202,60
	Deep throat screw clamp TGN with tommy bar								
	<ul style="list-style-type: none"> • Clamping force up to 7,000 N • Heavy-duty design • Tommy bar with rounded ends for simple transfer of force when clamping • Large, stable solid plain rail with fluting • Rail dimensions great than and equal to 40 x 11 are ungalvanized 	TGN30T20K	300	200	35 x 11	4008158012346	1	V1	66,10
		TGN40T20K	400	200	35 x 11	4008158012414	1	V1	70,90
		TGN40T25K	400	250	40 x 11	4008158012445	1	V1	89,60
		TGN60T25K	600	250	40 x 11	4008158012681	1	V1	100,30
		TGN80T25K	800	250	40 x 11	4008158012810	1	V1	110,30
		TGN40T30K	400	300	45 x 12	4008158012483	1	V1	104,60
		TGN60T30K	600	300	45 x 12	4008158012711	1	V1	117,20
		TGN80T30K	800	300	45 x 12	4008158012841	1	V1	126,50
		TGN40T40K	400	400	45 x 12	4008158012506	1	V1	153,40
		TGN60T40K	600	400	45 x 12	4008158012735	1	V1	166,20
		TGN80T40K	800	400	45 x 12	4008158012865	1	V1	178,80
		TGN30T50K	300	500	45 x 12	4008158012384	1	V1	172,70
		TGN60T50K	600	500	45 x 12	4008158012759	1	V1	191,50
		TGN80T50K	800	500	45 x 12	4008158012889	1	V1	204,40
	Original BESSEY all-steel screw clamp GZ with 2-component plastic handle								
	<ul style="list-style-type: none"> • 20 % more clamping force per spindle rotation with optimised rail profile • Maximum security with linear transfer of force at the sliding arm • Clamping force up to 6,000 N • Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping • High-quality 2-component plastic handle • Pressure plates can be replaced by hand – no need for tools (from 80 mm width) 	GZ10-2K	100	60	15 x 6	4008158033785	10	V2	15,80
		GZ12-2K	120	60	15 x 6	4008158033808	10	V2	19,80
		GZ16-2K	160	80	17,5 x 6,8	4008158033860	10	V2	23,80
		GZ40-8-2K	400	80	17,5 x 6,8	4008158033907	10	V2	29,30
		GZ20-2K	200	100	22 x 8,5	4008158033921	10	V2	32,00
		GZ25-2K	250	120	24,5 x 9,5	4008158034003	10	V2	38,60
		GZ30-12-2K	300	120	24,5 x 9,5	4008158034034	10	V2	41,90
		GZ40-12-2K	400	120	24,5 x 9,5	4008158034065	10	V2	45,20
		GZ50-12-2K	500	120	24,5 x 9,5	4008158034072	10	V2	48,70
		GZ60-12-2K	600	120	24,5 x 9,5	4008158034089	5	V2	52,00
		GZ80-12-2K	800	120	24,5 x 9,5	4008158034096	5	V2	58,10
		GZ100-12-2K	1000	120	24,5 x 9,5	4008158034102	5	V2	64,70
		GZ30-2K	300	140	28 x 11	4008158034126	10	V2	48,10
		GZ40-2K	400	120	28 x 11	4008158034157	10	V2	55,30
		GZ50-2K	500	120	28 x 11	4008158034188	5	V2	59,30
		GZ60-2K	600	120	28 x 11	4008158034218	5	V2	62,50
		GZ80-2K	800	120	28 x 11	4008158034249	5	V2	75,20
		GZ100-2K	1000	120	28 x 11	4008158034270	5	V2	84,30
		GZ125-2K	1250	120	28 x 11	4008158034300	1	V2	113,50









		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
Original BESSEY all-steel screw clamp GZ with tried-and-tested wooden handle									
	<ul style="list-style-type: none">• 20 % more clamping force per spindle rotation with optimised rail profile• Maximum security with linear transfer of force at the sliding arm• Clamping force up to 6,000 N• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping• Ergonomically shaped wood handle• Pressure plates can be replaced by hand – no need for tools (from 80 mm width)	GZ10	100	60	15 x 6	4008158033778	10	V2	15,10
		GZ12	120	60	15 x 6	4008158033792	10	V2	18,90
		GZ30-6	300	60	15 x 6	4008158033839	10	V2	23,50
		GZ16	160	80	17,5 x 6,8	4008158033853	10	V2	22,70
		GZ20	200	100	22 x 8,5	4008158033914	10	V2	30,70
		GZ25	250	120	24,5 x 9,5	4008158033990	10	V2	37,00
		GZ30-12	300	120	24,5 x 9,5	4008158034027	10	V2	40,30
		GZ40-12	400	120	24,5 x 9,5	4008158034058	10	V2	43,60
		GZ30	300	140	28 x 11	4008158034119	10	V2	46,50
		GZ40	400	120	28 x 11	4008158034140	10	V2	53,70
		GZ50	500	120	28 x 11	4008158034171	5	V2	57,70
		GZ60	600	120	28 x 11	4008158034201	5	V2	60,90
		GZ80	800	120	28 x 11	4008158034232	5	V2	73,60
GZ100	1000	120	28 x 11	4008158034263	5	V2	82,70		
GZ125	1250	120	28 x 11	4008158034294	1	V2	111,90		
Original BESSEY all-steel screw clamp GZ with tommy bar									
	<ul style="list-style-type: none">• 20 % more clamping force per spindle rotation with optimised rail profile• Maximum security with linear transfer of force at the sliding arm• Clamping force up to 6,000 N• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping• Tommy bar with rounded ends for simple transfer of force when clamping• Pressure plates can be replaced by hand – no need for tools	GZ16K	160	80	17,5 x 6,8	4008158033877	10	V2	23,80
		GZ20K	200	100	22 x 8,5	4008158033938	10	V2	32,00
		GZ25K	250	120	24,5 x 9,5	4008158034010	10	V2	38,60
		GZ30K	300	140	28 x 11	4008158034133	10	V2	48,10
		GZ40K	400	120	28 x 11	4008158034164	10	V2	55,30
		GZ50K	500	120	28 x 11	4008158034195	5	V2	59,30
		GZ60K	600	120	28 x 11	4008158034225	5	V2	62,50
		GZ80K	800	120	28 x 11	4008158034256	5	V2	75,20
		GZ100K	1000	120	28 x 11	4008158034287	5	V2	84,30
		GZ125K	1250	120	28 x 11	4008158034317	1	V2	113,50
Pressure cap strips SKS (2 pcs./bag)									
	<ul style="list-style-type: none">• For screw clamps• For gentle clamping• May be applied on both sides• Cut them to size	SKS10/20				4008158025582	1	V3	7,00
		SKS20/40				4008158025599	1	V3	7,20
All-steel screw clamp classiX GS with tried-and-tested wooden handle									
	<ul style="list-style-type: none">• Clamping force up to 5,000 N• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping• Ergonomically shaped wood handle	GS10	100	50	11,5 x 5,6	4008158024585	10	V2	12,40
		GS12	120	60	13,5 x 6,5	4008158024592	10	V2	15,50
		GS16	160	80	16 x 7,5	4008158024608	10	V2	18,60
		GS20	200	100	19,5 x 9,5	4008158024615	10	V2	25,20
		GS25	250	120	22 x 10,5	4008158024622	10	V2	30,30
		GS30	300	140	25 x 12	4008158024639	10	V2	38,10
		GS40	400	120	25 x 12	4008158024646	10	V2	44,00
		GS50	500	120	25 x 12	4008158024653	5	V2	47,30
		GS60	600	120	25 x 12	4008158024660	5	V2	49,90
		GS80	800	120	27 x 13	4008158024677	5	V2	60,40
GS100	1000	120	27 x 13	4008158024684	5	V2	67,80		
All-steel screw clamp classiX GS with tommy bar									
	<ul style="list-style-type: none">• Clamping force up to 5,000 N• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping• Tommy bar with rounded ends for simple transfer of force when clamping	GS16K	160	80	16 x 7,5	4008158035284	10	V2	19,70
		GS20K	200	100	19,5 x 9,5	4008158035291	10	V2	26,50
		GS25K	250	120	22 x 10,5	4008158035307	10	V2	31,90
		GS30K	300	140	25 x 12	4008158035314	10	V2	39,90
		GS40K	400	120	25 x 12	4008158035321	10	V2	45,80
		GS50K	500	120	25 x 12	4008158035468	5	V2	49,10
		GS60K	600	120	25 x 12	4008158035338	5	V2	51,70
		GS80K	800	120	27 x 13	4008158035345	5	V2	62,20
GS100K	1000	120	27 x 13	4008158035352	5	V2	69,60		










BESSEY Price list valid from April 1st, 2019

		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
	OMEGA screw clamp GMZ with 2-component plastic handle								
	<ul style="list-style-type: none">• Clamping force up to 5,000 N• Fixed jaw with patented OMEGA bow for less clamping force loss• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping• High-quality 2-component plastic handle• Pressure plates can be replaced with no need for tools	GM16Z-2K	160	80	16 x 7,5	4008158030838	10	V2	24,90
		GM20Z-2K	200	100	19,5 x 9,5	4008158030852	10	V2	33,80
		GM25Z-2K	250	120	22 x 10,5	4008158030876	10	V2	40,70
		GM30Z-2K	300	140	25 x 12	4008158030890	10	V2	51,10
		GM40Z-2K	400	120	25 x 12	4008158030906	10	V2	58,80
		GM50Z-2K	500	120	25 x 12	4008158030913	5	V2	63,00
		GM60Z-2K	600	120	25 x 12	4008158030920	5	V2	66,40
	OMEGA-screw clamp GMZ with tommy bar								
	<ul style="list-style-type: none">• Clamping force up to 5,000 N• Fixed jaw with patented OMEGA bow for less clamping force loss• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping• Tommy bar with rounded ends for simple transfer of force when clamping• Pressure plates can be replaced with no need for tools	GM20ZK	200	100	19,5 x 9,5	4008158029443	10	V2	33,80
		GM25ZK	250	120	22 x 10,5	4008158029467	10	V2	40,70
		GM30ZK	300	140	25 x 12	4008158029481	10	V2	51,10
		GM50ZK	500	120	25 x 12	4008158029504	5	V2	63,00
		GM60ZK	600	120	25 x 12	4008158029511	5	V2	66,40
	Pressure cap strips SKS (2 pcs./bag)								
	<ul style="list-style-type: none">• For screw clamps• For gentle clamping• May be applied on both sides• Cut them to size	SKS10/20				4008158025582	1	V3	7,00
		SKS20/40				4008158025599	1	V3	7,20
	Lever clamp GH								
	<ul style="list-style-type: none">• Greater reserves of power, thanks to optimised rail profile, for even clamping force build-up, especially under maximum utilisation of the clamping range• Non-slip trigger release• Sintered steel cams – particularly hard-wearing, low friction due to higher surface hardness• Quick – up to 5 x faster than regular clamps• Secure – vibration resistant• Strong – clamping force up to 8,500 N	GH12	120	60	15 x 6	4008158034324	10	V2	48,40
		GH16	160	80	17,5 x 6,8	4008158034331	10	V2	53,00
		GH20	200	100	22 x 8,5	4008158034355	10	V2	60,90
		GH25	250	120	24,5 x 9,5	4008158034409	10	V2	70,20
		GH30-12	300	120	24,5 x 9,5	4008158034416	10	V2	73,30
		GH40-12	400	120	24,5 x 9,5	4008158034423	10	V2	76,90
		GH30	300	140	28 x 11	4008158034430	10	V2	83,30
		GH40	400	120	28 x 11	4008158034447	10	V2	87,50
		GH50	500	120	28 x 11	4008158034454	5	V2	93,80
		GH60	600	120	28 x 11	4008158034461	5	V2	97,50
		GH80	800	120	28 x 11	4008158034478	5	V2	108,50
		GH100	1000	120	28 x 11	4008158034485	5	V2	115,40
	Lever clamp SGHS, heavy duty								
	<ul style="list-style-type: none">• Heavy design• Rapid – up to 5 x faster than conventional clamps• Secure – vibration resistant• Strong – clamping force up to 9,500 N	SG-25HS	300	140	30 x 15	4008158007106	5	V2	115,40
		SG-50HS	500	140	30 x 15	4008158007120	5	V2	154,00
	Lever clamp classiX GSH								
	<ul style="list-style-type: none">• Non-slip trigger release• Quick – up to 5 times faster than regular clamps• Secure – unaffected by vibrations• Strong – clamping force up to 7,500 N	GSH12	120	60	13,5 x 6,5	4008158036595	10	V2	39,70
		GSH16	160	80	16 x 7,5	4008158036601	10	V2	43,50
		GSH20	200	100	19,5 x 9,5	4008158036618	10	V2	49,90
		GSH25	250	120	22 x 10,5	4008158036625	10	V2	57,60
		GSH30	300	140	25 x 12	4008158036632	10	V2	68,30
		GSH40	400	120	25 x 12	4008158036649	10	V2	71,80
		GSH50	500	120	25 x 12	4008158036656	5	V2	76,90
		GSH60	600	120	25 x 12	4008158036663	5	V2	80,00
	Fitters' clamp SLM								
	<ul style="list-style-type: none">• Clamping force up to 8,500 N at tightening torque of 25 Nm• 20 % more clamping force per spindle rotation with optimised rail profile• Maximum safety due to the better linear transfer of force of the sliding arm• Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	SL20M	200	120	28 x 11	4008158034508	5	V2	72,90
		SL25M	250	120	28 x 11	4008158034515	5	V2	75,10
		SL30M	300	120	28 x 11	4008158034522	5	V2	77,90
		SL40M	400	120	28 x 11	4008158034539	5	V2	82,40
		SL50M	500	120	28 x 11	4008158034546	5	V2	87,20
		SL60M	600	120	28 x 11	4008158034553	5	V2	91,70










		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
	High-performance clamp SGM								
	<ul style="list-style-type: none"> Clamping force up to 12,000 N at tightening torque of 40 Nm 20 % more clamping force per spindle rotation with optimised rail profile Maximum safety due to the better linear transfer of force of the sliding arm Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° 	SG25M	250	140	34 x 13	4008158007229	5	V2	86,30
		SG30M	300	140	34 x 13	4008158007281	5	V2	88,30
		SG40M	400	140	34 x 13	4008158027067	5	V2	99,50
		SG50M	500	140	34 x 13	4008158007328	5	V2	110,70
		SG60M	600	140	34 x 13	4008158007342	5	V2	116,50
		SG80M	800	140	34 x 13	4008158007366	5	V2	127,70
		SG100M	1000	140	34 x 13	4008158007151	5	V2	143,60
		SG125M	1250	140	34 x 13	4008158007182	1	V2	166,40
		SG150M	1500	140	34 x 13	4008158007205	1	V2	185,20
	High-performance clamp SGTM, large throat depth								
	<ul style="list-style-type: none"> Clamping force up to 8,500 N at tightening torque of 40 Nm Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° Opening 200 mm 	SG30T20M	300	200	30 x 15	4008158031316	1	V2	101,40
		SG60T20M	600	200	30 x 15	4008158031323	1	V2	133,00
	High-performance clamp STBM, heavy duty								
	<ul style="list-style-type: none"> Clamping force up to 22,000 N at tightening torque of 70 Nm Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° With 19 mm hexagonal bolt on the end of the spindle 	STB30M	300	175	40 x 20	4008158007588	1	V2	165,50
		STB40M	400	175	40 x 20	4008158007601	1	V2	174,30
		STB50M	500	175	40 x 20	4008158007625	1	V2	181,70
		STB60M	600	175	40 x 20	4008158007649	1	V2	188,10
		STB80M	800	175	40 x 20	4008158007663	1	V2	200,50
		STB100M	1000	175	40 x 20	4008158007540	1	V2	216,70
		STB125M	1250	175	40 x 20	4008158007557	1	V2	265,10
		STB150M	1500	175	40 x 20	4008158007564	1	V2	293,00
	High-performance clamp STBS, extremely heavy duty								
	<ul style="list-style-type: none"> Clamping force up to 35,000 N at tightening torque of 100 Nm Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° With 36 mm hexagonal bolt on the end of the spindle With wedge for fixing the sliding arm 	STBS30	300	200	50 x 25	4008158007700	1	V2	352,10
		STBS50	500	200	50 x 25	4008158007717	1	V2	382,40
		STBS100	1000	200	50 x 25	4008158007670	1	V2	451,10
	High-performance clamp STBVC, extremely heavy duty								
	<ul style="list-style-type: none"> Clamping force up to 35,000 N at tightening torque of 105 Nm Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° With 19 mm hexagonal bolt on the end of the spindle With wedge for fixing the sliding arm 	STBVC15	150	100	40 x 20	4008158021355	1	V2	145,10
		STBVC25	250	100	40 x 20	4008158021362	1	V2	159,00
		STBVC35	350	100	40 x 20	4008158021379	1	V2	177,50
	Fitters' clamp classiX GSL								
	<ul style="list-style-type: none"> Clamping force up to 7,500 N with a tightening torque of 25 Nm Special heat-resistant pressure plate, can be tilted by up to 35° 	GSL30	300	120	27 x 13	4008158035369	5	V2	63,90
		GSL60	600	120	27 x 13	4008158035376	5	V2	75,20
	High-performance clamp classiX GSM								
	<ul style="list-style-type: none"> Clamping force up to 11,000 N with a tightening torque of 40 Nm Special heat-resistant pressure plate, can be tilted by up to 35° 	GSM25	250	140	30 x 15	4008158035383	5	V2	70,80
		GSM30	300	140	30 x 15	4008158035390	5	V2	72,40
		GSM40	400	140	30 x 15	4008158035406	5	V2	81,60
		GSM50	500	140	30 x 15	4008158035413	5	V2	90,80
		GSM60	600	140	30 x 15	4008158035420	5	V2	95,50
	KombiKlamp SG-VAD								
	<ul style="list-style-type: none"> Clamping force up to 7,500 N Clamping and spreading of round, oval and angled workpieces Pressure plates can be replaced with no need for tools 	SG30VAD	300	120	30 x 15	4008158032368	6	V2	91,60













BESSEY Price list valid from April 1st, 2019

		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
	U-shaped all-steel screw clamp GUZ								
	<ul style="list-style-type: none"> Clamping force up to 4,000 N Double-sided step-over clamping, specially suited for T-profiles and double T-profiles Low weight Tempered stainless steel and fixed bracket for resilient and elastic clamping 	GU25-12-6ZK	250	120	22 x 10,5	4008158027104	10	V2	56,70
	U-shaped high-performance clamp SGU								
	<ul style="list-style-type: none"> Clamping force up to 12,000 N at tightening torque of 40 Nm Double-sided step-over clamping, specially suited for T-profiles and double T-profiles Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° 	SGU30-14-10	300	140	30 x 15	4008158027043	5	V2	118,70
	U-shaped high-performance clamp STBU, heavy duty								
	<ul style="list-style-type: none"> Clamping force up to 22,000 N at tightening torque of 80 Nm Double-sided step-over clamping, specially suited for T-profiles and double T-profiles With 19 mm hexagonal bolt on the end of the spindle Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° 	STBU40-17-15	500	175	40 x 20	4008158027098	1	V2	243,40
	U-shaped lever clamp GUH								
	<ul style="list-style-type: none"> Clamping force up to 3,800 N Step-over clamping, specially suited for T profiles Low weight Quick – up to 5 x faster than regular clamps 	GU25-12-6H	250	120	22 x 10,5	4008158027128	5	V2	75,90
	Claw clamp GRA								
	<ul style="list-style-type: none"> Clamping and spreading force up to 7,500 N Externally-positioned spindle, protected from welding spatter Clear access to work area 	GRA30-12	300	120	28 x 11	4008158035819	5	V2	107,20
		GRA60-12	600	120	28 x 11	4008158035826	5	V2	121,90
		GRA100-12	1000	120	28 x 11	4008158035833	5	V2	144,90
	Pressure piece GRD (2 pcs./bag)								
	<ul style="list-style-type: none"> Spreading from the inside outwards Flat jaw face V-groove for clamping round and oval workpieces 	GRD				4008158004396	10	V2	18,40
	Variable high-performance clamps – Complete set SLV								
	<ul style="list-style-type: none"> Clamping force up to 6,500 N Tipping is prevented through central positioning on the workpiece Special heat-resistant pressure plate, can be tilted by up to 35° Clamp can be fed through an opening in the workpiece/component 	SLV100M	1000	120	27 x 13	4008158036366	1	V2	110,30
		SLV150M	1500	120	27 x 13	4008158036373	1	V2	133,40
		SLV200M	2000	120	27 x 13	4008158036380	1	V2	156,70
	Variable high performance clamps – Complete set GSV								
	<ul style="list-style-type: none"> Clamping force up to 9,000 N Tipping is prevented through central positioning on the workpiece Long service life thanks to special heat-resistant pressure plate with sintered steel insert, can be tilted by up to 35° Clamp can be fed through an opening in the workpiece/component 	GSV300M	3000	140	30 x 15	4008158036397	1	V2	290,20










		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
		SLV size rails							
	<ul style="list-style-type: none">• 27 x 13 mm profile, cold drawn and galvanised• End fastenings on both sides can be loose- ned without tools – for rapid changeover• Suitable for all SLV size sliding arms	3101731	1000		27 x 13	4008158038650	1	V2	46,40
		3101732	1500		27 x 13	4008158038667	1	V2	92,90
		3101733	2000		27 x 13	4008158038674	1	V2	139,30
		GSV size rails							
	<ul style="list-style-type: none">• 30 x 15 mm profile, cold drawn and galvanised• End fastenings on both sides can be loose- ned without tools – for rapid changeover• Suitable for all GSV size sliding arms	3101612	3000		30 x 15	4008158036359	1	V2	209,00
		Complete sliding arm for SLV sizes							
	<ul style="list-style-type: none">• Three different grip variants/designs• Suitable for all SLV size rails	3101426		120	27 x 13	4008158033228	1	V3	29,70
		3101337		120	27 x 13	4008158033556	1	V3	79,10
		3101338		120	27 x 13	4008158033563	1	V3	49,90
		Complete sliding arm for GSV sizes							
	<ul style="list-style-type: none">• One arm design with three throat depths• Suitable for GSV size rails	3101329		120	30 x 15	4008158033471	1	V3	58,40
		3101330		140	30 x 15	4008158033488	1	V3	63,30
		3101331		200	30 x 15	4008158033495	1	V3	80,70
		Special pressure plate							
	• Smooth faced (standard version)	3100737	suitable for STBS, STBU			4008158032634	1	V3	29,90
	• Smooth faced (standard version)	3100736	suitable for SLM, SGM, SGTm, STBM, STBVC, SGU, SLV, GSV, SPZ80K			4008158031668	1	V3	19,90
	• Serrated surface for a secure grip on soiled workpieces	3101192				4008158030968	1	V3	22,30
	• V-groove for affixing round, oval and angular workpieces	3101193				4008158030975	1	V3	22,30
	• Cutting ring	3101219	suitable for SLV, GSV, SPZ80K			4008158032184	1	V3	21,70
		C-clamp VC, stable							
	<ul style="list-style-type: none">• Clamping force of up to 15,000 N• Nearly unbreakable and tempered• Tried-and-true BESSEY all-steel quality	VC2	50	50	19,5 x 9,5	4008158019291	10	V2	35,70
		VC3	75	50	22 x 10,5	4008158019307	10	V2	40,70
		VC4	100	60	25 x 12	4008158019314	10	V2	52,70
		VC6	150	75	27 x 13	4008158019321	10	V2	69,40
		VC8	200	90	30 x 15	4008158019338	5	V2	87,40
		VC10	250	100	40 x 20	4008158019345	5	V2	111,30
		C-clamp SC							
	<ul style="list-style-type: none">• Clamping force of up to 22,000 N• Drop forged	SC40	40	40		4008158019178	10	V2	29,30
		SC60	60	55		4008158019185	10	V2	33,60
		SC80	80	65		4008158019192	10	V2	38,80
		SC100	100	75		4008158019208	10	V2	46,80
		SC120	120	85		4008158019215	10	V2	56,00
		SC150	150	95		4008158019222	10	V2	61,90
		SC200	200	105		4008158019239	5	V2	78,40
		C-clamp CDF-C							
	<ul style="list-style-type: none">• Clamping force up to 18,000 N• Drop forged, extremely stable• The copper-plated spindle prevents welding splatter from sticking	CDF403C	75	60		4008158028958	6	V2	33,90
		CDF404C	105	85		4008158028965	6	V2	40,70
		CDF406C	150	100		4008158028972	6	V2	54,50
		CDF408C	205	125		4008158028989	6	V2	69,00
		CDF410C	50-245	150		4008158028996	4	V2	84,70
		Parallel grip GRZ							
	<ul style="list-style-type: none">• Parallel jaw faces• Prism recess for small round parts• Includes pressure caps for gentle clamping of sensitive surfaces	GRZ10	100	65		4008158009711	10	V3	68,10
		GRZ20	200	65		4008158009728	10	V3	74,80








BESSEY Price list valid from April 1st, 2019

		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
	C-grip GRZC								
	• For step-over clamping from both sides	GRZC	110	80		4008158009636	10	V3	79,40
	Variogrip GRZV								
	• Throat depth and opening are infinitely adjustable thanks to split sliding arm • For clamping workpieces of different thicknesses, or non-aligned workpieces	GRZV	100	50-80		4008158018638	10	V3	115,20
	Pipe grip GRZRO								
	• Ideal for holding round objects of constant diameter • Includes pressure caps • Gentle clamping of sensitive surfaces • Suitable for tack welding, heat-resistant up to 200° C	GRZRO	0-110	65		4008158009667	10	V3	96,70
	Earth (ground) clamp LP / TP with tried-and true wooden handle								
	• With malleable cast iron arms • Ergonomically shaped wood handle • Grounding connection hole in the upper part	LP-1	150	60	20 x 5	4008158004907	10	V1	18,50
		TP-1	150	80	25 x 6	4008158015422	10	V1	23,00
	Earth (ground) clamp LP / TP with thumb screw								
	• With malleable cast iron arms • Practical thumb screw • Grounding connection hole in the upper part • TP...F-RK: Cable strain relief at rail end / ring internal diameter 30 mm	LP-1F	150	60	20 x 5	4008158004914	10	V1	18,70
		TP-1F	150	80	25 x 6	4008158015439	10	V1	24,50
		TP-2F	150	60	30 x 8	4008158031743	20	V1	30,70
		TP-1F-RK	150	80	25 x 6	4008158032252	10	V1	26,70
		TP-2F-RK	150	60	30 x 8	4008158032269	20	V1	32,80
	Earth (ground) clamp TP with tommy bar								
	• With malleable cast iron arms • Tommy bar with rounded ends for simple transfer of force when clamping • Grounding connection hole in the upper part	TP-1K	150	80	25 x 6	4008158015446	10	V1	24,50
	Earth (ground) clamp TGP								
	• With malleable cast iron arms • Grounding connection hole at end of rail	TG-P12	120	60	20 x 5	4008158008219	10	V1	18,60
		TG-P20	200	100	27 x 7	4008158008226	10	V1	30,70
	Earth (ground) clamp CP								
	• With C-shaped malleable cast iron arms	CP-F	50	30		4008158010236	10	V1	10,40
	Multi angle pad VAD (2 pcs./bag)								
	• For adaptation to round, oval and angular workpieces in particular • Infinite angle adjustment from 60° inner to 60° outer • Suitable for original BESSEY malleable cast iron screw clamps TG as well as GZ and GMZ from 100 mm throat depth	VAD				4008158004945	1	V3	55,00






		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
Welders' angle clamps WSM									
	<ul style="list-style-type: none">Automatic adjustment to workpieces of various thicknessesSturdy jaws and base plate made from high-quality cast ironThe copper-plated spindle prevents welding splatter from stickingPrecise 90°-angles	WSM9	2 x 90			4008158016832	1	V3	186,50
		WSM12	2 x 120			4008158016825	1	V3	211,30
Welding clamp set SM 10									
	<ul style="list-style-type: none">Clamping aid for clamping components of different thicknesses at any chosen angleSturdy body and base plate made from high-quality cast ironThe copper-plated spindle prevents welding splatter from stickingAngle range: 5°-180°	SM10-SET	100			4008158007502	1	V3	321,10
Clamping element with variable throat depth TWV									
  	<ul style="list-style-type: none">TWV16: Clamping force up to 2,500 NTWV28: Clamping force up to 5,500 NPrecise, individual clampingTempered profile and sliding arm for sprung and elastic clampingInfinitely adjustable throat depth <p>Various design versions:</p> <ul style="list-style-type: none">High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacementLever handle with an indexing mechanism for controlled, fast and vibration-proof clamping	TWV16-20-15-2K	200	30-150	22 x 8,5	4008158038759	1	V3	59,60
		TWV16-20-15K	200	30-150	22 x 8,5	4008158038773	1	V3	59,60
		TWV16-20-15H	200	60-150	22 x 8,5	4008158038766	1	V3	82,20
		TWV28-30-17-2K	300	40-175	28 x 11	4008158036823	1	V3	69,90
		TWV28-30-17K	300	40-175	28 x 11	4008158036847	1	V3	69,90
		TWV28-30-17H	300	110-175	28 x 11	4008158036854	1	V3	95,90
Clamping element with fixed throat depth TW									
  	<ul style="list-style-type: none">TW16: Clamping force up to 3,000 NTW28: Clamping force up to 5,000 NPrecise, individual clampingTempered profile and sliding arm for sprung and elastic clamping <p>Various design versions:</p> <ul style="list-style-type: none">High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacementLever handle with an indexing mechanism for controlled, fast and vibration-proof clamping	TW16-20-10-2K	200	100	22 x 8,5	4008158038681	1	V3	36,40
		TW16-20-10K	200	100	22 x 8,5	4008158038704	1	V3	36,40
		TW16-20-10H	200	100	22 x 8,5	4008158038698	1	V3	65,00
		TW28-30-12-2K	300	120	28 x 11	4008158036816	1	V3	42,70
		TW28-30-14-2K	300	140	28 x 11	4008158036861	1	V3	47,30
		TW28-30-12K	300	120	28 x 11	4008158036878	1	V3	42,70
		TW28-30-14K	300	140	28 x 11	4008158036885	1	V3	47,30
		TW28-30-12H	300	120	28 x 11	4008158036892	1	V3	76,50
		TW28-30-14H	300	140	28 x 11	4008158036953	1	V3	81,10
Clamping element with special pressure plate TWM28									
	<ul style="list-style-type: none">Clamping force up to 6,500 NPrecise, individual clampingTempered profile and sliding arm for sprung and elastic clampingTempered spindle – particularly sturdy and wear-resistant – for noticeably improved service lifeLong life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	TWM28-30-12	300	120	28 x 11	4008158036809	1	V3	75,60
Special pressure plate for TWM28									
	• Smooth faced (standard version)	3100736				4008158031668	1	V3	19,90
	• Serrated surface for a secure grip on soiled workpieces	3101192				4008158030968	1	V3	22,30
	• V-groove for affixing round, oval and angular workpieces	3101193				4008158030975	1	V3	22,30








BESSEY Price list valid from April 1st, 2019

		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
Clamping element with gripping arm TW28GRS									
	<ul style="list-style-type: none">Clamping force up to 5,000 NThe spindle is located on the outside for free access to the work area and to protect against welding spatterSpecial, sturdy V-grooved pressure plate, ideal even for clamping round or square workpiecesPivotable and infinitely adjustable in terms of heightParticularly suited to clamping with the tightest of space constraints, in narrow openings as well as for short projections	TW28GRS30-12	300	120	28 x 11	4008158036830	1	V3	104,20
Vario table clamping attachment TWVAD (2 pcs./bag)									
	<ul style="list-style-type: none">Specifically adapted to round, oval and square workpiecesAngle infinitely adjustable from 60° internal to 60° externa Various design versions <ul style="list-style-type: none">TW16VAD/TW28VAD – version with bolt – for rapidly aligning and fixing the workpiece to the welding tableTWVAD – version without bolt – for variable movement on the welding table	TW16VAD				4008158038728	1	V3	34,60
		TW28VAD				4008158036908	1	V3	35,80
		TWVAD				4008158036915	1	V3	26,80
Toggle clamp adapter TWA-STC									
	<ul style="list-style-type: none">Accessory for BESSEY STC toggle clamp with horizontal base plateWith bolt – for use directly on the welding tableWithout bolt – for screwing to the extension TWX	TW16A-STC				4008158038711	1	V3	21,60
		TW28A-STC				4008158036922	1	V3	22,60
Extension TWX									
	<ul style="list-style-type: none">Accessory for BESSEY toggle clamp adapter TWA-STC, TWVAD and TW28AVLowering of round workpieces is infinitely adjustable using the adjusting ring in the table	TW16X	300			4008158038735	1	V3	17,70
		TW28X	300			4008158036939	1	V3	23,70
Tilting adapter TW28AV									
	<ul style="list-style-type: none">Clamping force up to 3,000 NAccessory for BESSEY extension TW28XPivoting spindles with stepless adjustment from -52° to +52°Lockable trapezoidal nut for secure fastening of the workpieceHigh quality, 2-component plastic grip with long spindle	TW28AV	160			4008158038742	1	V3	65,00
Attachment TW28HO									
	<ul style="list-style-type: none">Accessory for BESSEY work table clampIt can be used on welding tables by simply screwing it to the work table clamp	TW28HO				4008158036946	1	V3	15,20
BAS-C compact clamp, fixing hole open									
 BAS-C9-4 BAS-C10-6 BSP-C10-6	<ul style="list-style-type: none">Clamping force up to 16,000 NSpace-saving construction, thus up to 30 % smaller than comparable competitive modelsHousing and pressure arm made from hardened and tempered stainless steel, making it extremely robust and durableAvailable in three pressure arm versions: Short and long pressure arm with swivelable aluminium pressure shoe or pointed pressure arm for clamping on narrow sections or in confined spacesBAS-C with open fixing hole and BAS-CB with closed fixing hole for M10 / M12	BAS-C9-4	88	40		4008158021812	1	V3	254,20
		BAS-C10-6	97	60		4008158021805	1	V3	263,30
		BSP-C10-6	97	60		4008158021829	1	V3	262,50









		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
BAS-CB compact clamp, fixing hole closed									
 BAS-CB9-4 BAS-CB10-6 BSP-CB10-6	• Clamping force up to 16,000 N	BAS-CB9-4	88	40		4008158021843	1	V3	254,20
	• Space-saving construction, thus up to 30 % smaller than comparable competitive models	BAS-CB10-6	97	60		4008158021836	1	V3	263,30
	• Housing and pressure arm made from hardened and tempered stainless steel, making it extremely robust and durable	BSP-CB10-6	97	60		4008158021850	1	V3	262,50
	• Available in three pressure arm versions: Short and long pressure arm with swivelable aluminium pressure shoe or pointed pressure arm for clamping on narrow sections or in confined spaces								
• BAS-C with open fixing hole and BAS-CB with closed fixing hole for M10 / M12									
Base unit BASO									
	• 80 mm extension • Stackable • Fastening hole open, including cheese head screw • Suitable for all BESSEY BAS clamps	BASO	80			4008158019031	1	V3	80,20
Hold down table clamps BS									
	• Clamping force up to 10,000 N	BS2N	200	100	19,5 x 9,5	4008158018133	1	V3	120,70
	• Tilting and infinitely height-adjustable	BS3N	200	120	22 x 10,5	4008158018140	1	V3	137,20
	• For drilling and light milling work	BS4N	200	120	28 x 11	4008158018157	1	V3	150,00
	• Lever mechanism for rapid clamping and release	BS5N	240	140	30 x 15	4008158018164	1	V3	175,80
		BS6N	500	140	30 x 15	4008158031729	1	V3	261,80
Claw machine clamp GRS									
	• Clamping force up to 7,500 N • Swivelling, vertically infinitely adjustable clamp • Externally-positioned spindle to allow unobstructed access to the work area and clamping in confined spaces • For drilling and light milling work	GRS20-12	200	123-140	28 x 11	4008158035840	1	V3	151,10
Hold down table clamps BSG									
	• Clamping force up to 12,000 N • For fastening to tables and other equipment • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	BSG21-14	210	140	30 x 15	4008158027135	1	V3	118,40
Attachment TW28H0									
	• Accessory for BESSEY work table clamp • It can be used on welding tables by simply screwing it to the work table clamp	TW28H0				4008158036946	1	V3	15,20
Vertical toggle clamp with open arm and horizontal base plate STC-VH									
	• Lever is in vertical clamping position	STC-VH20	35			4008158036984	6	V3	24,40
	• Automatic, seamless adjustment of the clamping height up to 35 mm with almost constant clamping force – without manual changing of the pressing screw position	STC-VH50	40			4008158036991	6	V3	26,10
• Adjustable clamping force up to 2,500 N, based on the adjusting screw in the joint									
• Sturdy, tempered sheet steel for longer service life									
• Base plate hole pattern suitable for millimetres and inches									
• High-quality, oil-resistant two-component plastic handle									












BESSEY Price list valid from April 1st, 2019

		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
Horizontal toggle clamp with open arm and horizontal base plate STC-HH									
	<ul style="list-style-type: none">In the clamped position, the lever is horizontalAutomatic and infinitely variable adjustment of the clamping height up to 35 mm while clamping force remains unchanged – without having to make manual changes to the position of the pressure screwsClamping force is variable up to 2,500 N depending on the adjustment of the set screw in the cantilevered jointSturdy, tempered metal sheets for a long service lifeHole pattern on the base plate designed to facilitate fast and secure clamping set-up for metric and imperialHigh-quality oil resistant two-component plastic handle	STC-HH20	35			4008158036212	6	V3	23,90
		STC-HH20SB	35			4008158036748	3	V3	24,90
		STC-HH50	40			4008158035734	6	V3	26,10
		STC-HH50SB	40			4008158036755	3	V3	27,10
		STC-HH70	60			4008158035741	6	V3	26,80
		STC-HH70SB	60			4008158036762	3	V3	27,80
Push/pull clamp with horizontal base plate STC-IHH									
	<ul style="list-style-type: none">Moving the handle moves the push-pull rodAutomatic and infinitely variable adjustment of the clamping height up to 13 mm while clamping force remains unchanged – without having to make manual changes to the position of the pressure screwsAdjustable clamping force up to 2,500 N, based on the adjusting screw in the jointSturdy, tempered metal sheets for a long service lifeBase plate hole pattern suitable for millimetres and inchesHigh-quality oil resistant two-component plastic handle	STC-IHH15	25			4008158036243	6	V3	24,50
		STC-IHH25	35			4008158035758	6	V3	27,50
		STC-IHH25SB	35			4008158036779	3	V3	28,50
STC accessory set for multifunction table									
	<ul style="list-style-type: none">For using the BESSEY toggle clamps on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm	STC-HH50-T20	40			4008158040301	6	V3	36,60
		STC-HH70-T20	60			4008158040318	6	V3	37,30
		STC-IHH25-T20	35			4008158040325	6	V3	38,00
		STC-VH50-T20	40			4008158040332	6	V3	36,60
STC accessory set for multifunction table									
	<ul style="list-style-type: none">For using the BESSEY toggle clamps on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm	STC-SET-T20				4008158040288	6	V3	10,50
Vario K Body REVO parallel clamp KREV									
	<ul style="list-style-type: none">Clamping force up to 8,000 NVery large parallel clamping surfaces with 3 removable pressure capsMetal-reinforced plastic housing and optimised sliding arm with double slide protection for more power and safety: The set clamping force is maintained and the sliding arm cannot unintentionally slip in the unclamped conditionCan be converted without tools for spreading tasksHigh-quality 2-component symmetrical plastic handle with hexagon socket for the comfortable application of the clamping force (max. torque 17 Nm)With continuously adjustable and fixable upper section for optimum positioning on the workpiece	KREV100-2K	1000	95	29 x 9	4008158040202	2	V3	86,50
		KREV200-2K	2000	95	29 x 9	4008158040226	2	V3	123,70
		KREV250-2K	2500	95	29 x 9	4008158040233	2	V3	143,00
		KREV150-2K	1500	95	29 x 9	4008158040219	2	V3	104,40









		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
K Body REVO parallel clamp KRE									
	<ul style="list-style-type: none">Clamping force up to 8,000 NVery large parallel clamping surfaces with 3 removable pressure capsMetal-reinforced plastic housing and optimised sliding arm with double slide protection for more power and safety: The set clamping force is maintained and the sliding arm cannot unintentionally slip in the unclamped conditionCan be converted without tools for spreading tasksHigh-quality 2-component symmetrical plastic handle with hexagon socket for the comfortable application of the clamping force (max. torque 17 Nm)	KRE30-2K	300	95	29 x 9	4008158040127	2	V3	51,80
		KRE60-2K	600	95	29 x 9	4008158040134	2	V3	63,70
		KRE80-2K	800	95	29 x 9	4008158040141	2	V3	72,70
		KRE100-2K	1000	95	29 x 9	4008158040158	2	V3	80,70
		KRE125-2K	1250	95	29 x 9	4008158040165	2	V3	90,80
		KRE150-2K	1500	95	29 x 9	4008158040172	2	V3	98,50
		KRE200-2K	2000	95	29 x 9	4008158040189	2	V3	117,50
		KRE250-2K	2500	95	29 x 9	4008158040196	2	V3	137,50
Variable jaw KRE-VO									
	<ul style="list-style-type: none">Steplessly adjustable and fixable upper section for improved workpiece positioningVery large parallel clamping surfacesWith 2 pressure caps to protect delicate surfacesCan be converted to spreading function with no need for tools	KRE-VO				4008158040240	1	V3	20,20
Framing set KP									
	<ul style="list-style-type: none">KP Framing System (from 30 cm to 250 cm/12–98) with four 90° KP BlocksSeparately adjustable clamping force with 2 inserted clamps per cornerLightweight / easy to assembleOn carded hang pack	KP				4008158004549	12	V3	29,00
Tilting K Body parallel clamp adapter KR-AS (2 pcs./bag)									
	<ul style="list-style-type: none">Adapter with tilting clamping jaws with a tilt range of -15° to +15°Clamping on sloping and parallel surfacesOn carded hang pack	KR-AS				4008158032542	12	V3	13,40
K Body parallel clamp extender KBX									
	<ul style="list-style-type: none">Connect any two K Body parallel clamps to increase the clamping capacity. The connector is made of robust aluminumOn carded hang pack	KBX20				4008158034997	12	V3	19,00
Table clamp									
 TK 6 RB 269 LM 10 / 5R8	<ul style="list-style-type: none">Especially for DIY applications and domestic appliancesSpecial accessory for angle clamps WS 3/ WS 6, screw clamp S 10 and K Body REVO parallel clamps KRE/KREV and KR/KRV to hold them to a work surface edge	TK6	60	22		4008158015255	10	V3	4,00
		RB269	60	28		4008158026077	1	V3	8,50
		LM10/5R8	100	50		4008158032238	1	V3	19,50
Sales display K Body REVO parallel clamp KRE									
	<ul style="list-style-type: none">Professional sales display in attractive wood design8 hooks for perforated wallThe display can be refilled at any timeDimensions: approx. 61 x 162 x 54 cm (including head shield)When ordering the configuration you will receive the display cpl. KRE 3101779 and the display hook set KRE 3101780 for free: 4 x KRE60-2K, 4 x KRE80-2K, 4 x KRE100-2K, 4 x KRE125-2K 2 x KP, 2 x KR-AS, 2 x KBX20, 3 x TK6	3101779				4008158040394		V3	0,00
		3101780				4008158040417		V3	0,00










BESSEY Price list valid from April 1st, 2019

		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
	Lightweight parallel clamp UK UniKlamp								
	<ul style="list-style-type: none"> Clamping force up to 1,500 N Parallel jaw faces with extra-large contact surfaces Clamping of various shapes, along the whole length of the rail Universally applicable Light and easy-to-handle No need for tools for switching between clamping and spreading On carded hang pack 	UK16	160	80	20 x 5	4008158027197	6	V3	20,00
		UK30	300	80	20 x 5	4008158027203	6	V3	20,30
		UK60	600	80	20 x 5	4008158027210	6	V3	21,50
	Area pressure clamps FK								
	<ul style="list-style-type: none"> Clamping force up to 5,000 N 2 large, tilting jaw faces For workpieces with a sloping contact surface Large-area clamping of all workpieces from both sides 	FK16-8	160	80	16 x 7,5	4008158000909	10	V3	33,50
		FK20-10	200	100	19,5 x 9,5	4008158000923	10	V3	42,50
		FK40-10	400	100	19,5 x 9,5	4008158000930	5	V3	48,00
	Box clamp KS								
	<ul style="list-style-type: none"> Clamping force up to 5,000 N Infinitely adjustable clamping jaws Clamp on angled and parallel surfaces 	KS100	200-1000	16		4008158032054	1	V3	108,50
		KS150	200-1500	16		4008158032061	1	V3	119,10
	Extension	KSV	1000			4008158032078	1	V3	54,80
	GearKlamp GK								
	<ul style="list-style-type: none"> High-quality two-component plastic handle positioned around the rail, so clamp can be used in tight spaces Clamping force up to 2,000 N Easy-to-move trapezoidal thread spindle with swivelling pressure plate Quick-release shift button to quickly adjust sliding bar On carded hang-pack 	GK15	150	60	19 x 6	4008158040844	6	V3	24,70
		GK30	300	60	19 x 6	4008158040813	6	V3	26,80
		GK45	450	60	19 x 6	4008158040820	6	V3	28,80
		GK60	600	60	19 x 6	4008158040837	6	V3	32,00
	One-handed clamp EHZ with 2-component handle								
	<ul style="list-style-type: none"> Clamping force of up to 3,500 N Clamp and fix in place quickly and simply with just one hand With protection caps on the clamping surfaces On carded hang pack 	EHZ30-2K	300	100	19,5 x 9,5	4008158030661	6	V2	43,40
		EHZ60-2K	600	100	19,5 x 9,5	4008158030692	6	V2	52,50
	One-handed clamp DuoKlamp DUO								
	<ul style="list-style-type: none"> Clamping force up to 1,200 N Change from clamping to spreading by switching, not converting Handle with pump lever parallel to the rail Convenient one-handed operation, with little effort required All-round clamping – in front of, behind and at the side of the rail On carded hang pack 	DUO16-8	160	85	20 x 5	4008158028521	6	V3	23,60
		DUO30-8	300	85	20 x 5	4008158028538	6	V3	26,20
		DUO45-8	450	85	20 x 5	4008158028545	6	V3	28,50
		DUO65-8	650	85	20 x 5	4008158028552	6	V3	31,80
	One-handed clamp EZ / EZS								
	<ul style="list-style-type: none"> EZ: Clamping force up to 700 N EZS: Clamping force up to 2,000 N No tools required for spreading thanks to intelligent release mechanism in upper section Ergonomically shaped 2-component plastic handle behind the rail One-handed operation with little effort required On carded hang pack 	EZ15-6	150	60	13 x 5	4008158038636	10	V3	17,20
		EZ30-6	300	60	13 x 5	4008158038643	10	V3	19,00
		EZS15-8	150	80	19 x 6	4008158034584	6	V3	23,40
		EZS30-8	300	80	19 x 6	4008158034591	6	V3	26,00
		EZS45-8	450	80	19 x 6	4008158034607	6	V3	27,90
		EZS60-8	600	80	19 x 6	4008158034614	6	V3	31,40
		EZS90-8	900	80	19 x 6	4008158035000	6	V3	35,50
	Rafter clamp SPZ								
	<ul style="list-style-type: none"> Clamping force up to 12,000 N For all roofing and timber frame constructions SPZ 80 K with 17 mm hexagonal bolt and heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° 	SPZ60K	600	120	27 x 13	4008158026930	5	V2	96,10
		SPZ80K	800	140	30 x 15	4008158027425	2	V2	150,40













		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
Special pressure plates for SPZ80K									
	• Smooth faced (standard version)	3100736				4008158031668	1	V3	19,90
	• Serrated surface for a secure grip on soiled workpieces	3101192				4008158030968	1	V3	22,30
	• V-groove for affixing round, oval and angular workpieces	3101193				4008158030975	1	V3	22,30
	Cutting ring	3101219				4008158032184	1	V3	21,70
High-tech lever clamp KliKlump KLI									
	• Clamping force up to 1,200 N • Feather light yet ultra strong • Sturdy fixed and sliding arms made from lightweight magnesium • Quick and vibration free clamping • On carded hang pack	KLI12	120	80	20 x 5	4008158027227	6	V3	21,80
		KLI16	160	80	20 x 5	4008158027234	6	V3	22,50
		KLI20	200	80	20 x 5	4008158027241	6	V3	23,10
		KLI25	250	80	20 x 5	4008158027258	6	V3	24,10
		KLI30	300	80	20 x 5	4008158028743	6	V3	24,90
		KLI40	400	80	20 x 5	4008158028750	10	V3	26,70
High-tech lever clamp KliKlump set in systainer KLI-S									
	• Practical systainer T-Loc, stackable • Ideal for assembly work • Contents: 4 x KLI12, 4 x KLI16, 4 x KLI20, 4 x KLI25	KLI-S				4008158027296	1	V3	428,00
High-tech lever clamp KliKlump counter display KLI-D									
	• Professional sales display • Optimum presentation of the KliKlump • Contents: 2 x KLI12, 4 x KLI16, 6 x KLI20, 4 x KLI25	KLI-D				4008158027302	1	V3	368,60
Light duty bar clamp U-style LMU									
	• Clamping force up to 1,500 N • Step-over clamping • Comes with two protective caps • Small and easy to handle • Light weight	LMU10/5	100	50	15 x 5	4008158032559	24	V1	7,70
		LMU15/5	150	50	15 x 5	4008158032566	24	V1	7,90
		LMU20/5	200	50	15 x 5	4008158032573	24	V1	8,30
Die-cast zinc screw clamp LM									
	• Clamping force up to 2,000 N • Clamping arms manufactured in toughened die cast zinc black powder coated to prevent chemical corrosion • Comes with protective cap • Small and easy to handle • Light weight	LM10/5	100	50	15 x 5	4008158004600	10	V1	9,20
		LM15/5	150	50	15 x 5	4008158004723	10	V1	9,40
		LM20/5	200	50	15 x 5	4008158005485	10	V1	9,50
		LM25/5	250	50	15 x 5	4008158005607	10	V1	10,70
		LM30/5	300	50	15 x 5	4008158005898	10	V1	10,80
		LM15/8	150	80	20 x 5	4008158004853	10	V1	15,10
		LM20/8	200	80	20 x 5	4008158006147	10	V1	15,90
		LM25/8	250	80	20 x 5	4008158005676	10	V1	16,50
		LM30/8	300	80	20 x 5	4008158005966	10	V1	16,90
		LM20/10	200	100	25 x 6	4008158005430	10	V1	25,00
		LM25/10	250	100	25 x 6	4008158006246	10	V1	25,90
		LM30/10	300	100	25 x 6	4008158005829	10	V1	26,90
		LM40/10	400	100	25 x 6	4008158006031	10	V1	28,80
		LM50/10	500	100	25 x 6	4008158006321	10	V1	30,50
		LM60/10	600	100	25 x 6	4008158006413	10	V1	32,80
LM80/10	800	100	25 x 6	4008158006475	10	V1	35,70		
Wood Klemmy HKL									
	• Upper and lower arms and lever made from high-quality hardwood • Cork pads for gentle clamping	HKL20	200	110	20 x 5	4008158026831	10	V1	12,70
		HKL30	300	110	20 x 5	4008158026848	10	V1	14,10
		HKL40	400	110	20 x 5	4008158026855	10	V1	15,80
		HKL60	600	110	20 x 5	4008158026862	10	V1	17,90
		HKL80	800	110	20 x 5	4008158026879	10	V1	19,00
		HKL100	1000	110	20 x 5	4008158026886	10	V1	20,40
Aluminium mini clamp AM									
	• Ideal for modelling and hobbyists • Low weight of just 55 g	AM4	47	34		4008158001449	10	V3	5,30









BESSEY Price list valid from April 1st, 2019

		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
	Parallel screw clamp PA								
	<ul style="list-style-type: none"> Twin spindles Precisely parallel positioning of the jaw faces 	PA28	36	19		4008158005362	1	V3	10,80
		PA40	46	26		4008158005386	1	V3	13,00
		PA55	60	35		4008158006802	1	V3	16,10
		PA70	87	50		4008158006826	1	V3	22,20
		PA105	116	72		4008158005348	1	V3	29,90
	Mini Vice S 10								
	<ul style="list-style-type: none"> Low weight Parallel clamping with guide rods Clamping at an angle without guide rods (max. 25°) Easy to attach, with 2 table clips supplied On carded hang pack 	S10-ST	100			4008158001401	10	V3	24,10
	Table clamp								
	<ul style="list-style-type: none"> Especially for DIY applications and domestic appliances Special accessory for angle clamps WS 3/WS 6, screw clamp S 10 and K Body REVO parallel clamps KRE/KREV and KR/KRV to hold them to a work surface edge 	TK6	60	22		4008158015255	10	V3	4,00
		RB269	60	28		4008158026077	1	V3	8,50
		LM10/5R8	100	50		4008158032238	1	V3	19,50
	All-steel table clamp GTR								
	<ul style="list-style-type: none"> Specially forged fixed arm for 12 x 8 mm grooves For secure fastening of guide rails from Festool, Protool, Metabo, Makita, Hitachi, etc. and for clamping in profiles as well as work tables Clamping force up to 1.800 N Ergonomically shaped wooden handle GTR12SET: On carded hang pack 	GTR12	120	60	13,5 x 6,5	4008158018126	10	V2	16,10
		GTR12SET	120	60	13,5 x 6,5	4008158039374	5	V2	32,20
		GTR16B6	160	60	13,5 x 6,5	4008158037165	10	V2	17,50
		GTR30B6	300	60	13,5 x 6,5	4008158038780	10	V2	19,70
	All-steel table clamp GTRH with lever handle								
	<ul style="list-style-type: none"> Specially forged fixed arm for 12 x 8 mm grooves For secure fastening of guide rails from Festool, Protool, Metabo, Makita, Hitachi, etc. and for clamping in profiles as well as work tables Ergonomically shaped wooden handle Rapid – up to 5 times faster than conventional clamps Secure – unaffected by vibrations Strong – clamping force up to 2.400 N 	GTR16S6H	160	60	13,5 x 6,5	4008158035277	10	V2	42,20
	Toggle Clamp Systainer STC-S-MFT								
	<ul style="list-style-type: none"> Multi-functional systainer for installation technicians With wood insert including 20 holes And 3 different clamping options Contents: 4 x STC-HH50, 2 x STC-IHH25 6 x STC-SET-T20, 2 x GTR12 	STC-S-MFT				4008158040691	1	V3	341,20
	Spring clamp VarioClippix XV								
	<ul style="list-style-type: none"> Variable opening width up to 100 mm, yet can be operated with one hand Lightweight, functional and easy to handle Extremely sturdy On carded hang pack 	XV3-50	55	37		4008158028569	12	V3	6,40
		XV5-100	100	50		4008158028576	12	V3	7,90
	Spring clamp VarioClippix XV								
	<ul style="list-style-type: none"> Variable opening width up to 170 mm, yet can be operated with one hand Lightweight, functional and easy to handle Extremely sturdy On carded hang pack 	XV5-170	170	50		4008158031453	12	V3	8,70










		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
	Spring clamp Clippix XC								
	<ul style="list-style-type: none"> • Lightweight, functional and easy to handle • Extremely sturdy • On carded hang pack 	XC1	20	20		4008158031392	10	V3	1,30
		XC1-SET	20	20		4008158031408	12	V3	5,50
		XC2	25	30		4008158028583	10	V3	2,00
		XC3	35	37		4008158028590	10	V3	2,80
		XC5	50	50		4008158028606	10	V3	4,20
		XC7	75	70		4008158028613	10	V3	5,60
	Needle nose spring clamp Clippix XCL								
	<ul style="list-style-type: none"> • Long, pointed clamping arm for working in tight spaces • Large throat depth for clamping in borderless areas • Soft, slip-proof grip pads • On carded hang pack 	XCL2	55	60		4008158031422	10	V3	3,10
		XCL2-SET	55	60		4008158031446	10	V3	5,40
		XCL5	70	110		4008158031439	10	V3	4,70
	Band clamp BAN 700								
	<ul style="list-style-type: none"> • Even pressure on mitre joints • Crank handle can be relocated for right and left-handed users • Contains: 1 band clamp, 4 Vario corners • On carded hang pack 	BAN700				4008158023250	5	V3	42,20
	Band clamp BAN 400								
	<ul style="list-style-type: none"> • Clamp right-angled workpieces with 4 plastic corners • Even pressure at all 4 corners • On carded hang pack 	BAN400				4008158031460	12	V3	28,10
	Vario corners BVE (6 pcs./bag)								
	<ul style="list-style-type: none"> • Infinite angle adjustment from 60-180° • On carded hang pack 	BVE				4008158023267	5	V3	12,50
	Angle clamp WS								
	<ul style="list-style-type: none"> • Automatic adjustment to variously-sized workpieces • Quick – clamp with a spindle • Stable body • For attaching with table clamp – available as an accessory • WS 3 – on carded hang pack 	WS3	2 x 55			4008158010427	10	V3	52,70
		WS6	2 x 100			4008158010410	4	V3	75,60
	Angle clamp WS								
	<ul style="list-style-type: none"> • Clamp variously-sized workpieces with 2 spindles • For light clamping work • Made from die-cast zinc • On carded hang pack 	WS1				4008158028255	12	V3	8,30
	Mitre clamping system MCX								
	<ul style="list-style-type: none"> • Mitre system for 22,5°, 30°, 45° and 60° angles • Even pressure on the mitre • Angle adapter can be changed without tools • Practical accessory for BESSEY screw clamps TG,GZ, GMZ, EHZ, EZS and DUO 	MCX	100			4008158032030	1	V3	33,60
	One-handed edge clamp EKT								
	<ul style="list-style-type: none"> • For rapid one-handed operation • Low weight • Opening up to 55 mm 	EKT55	10-55	45		4008158026473	1	V3	60,40









BESSEY Price list valid from April 1st, 2019

		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
Edge clamp Kantenfix KF									
	<ul style="list-style-type: none">For quick one-handed operationWidths up to 80 mm	KF2	10-40	80		4008158031880	4	V3	59,20
		KF4	10-80	110		4008158031897	4	V3	127,40
Edge clamp KT									
	<ul style="list-style-type: none">Practical accessory for clamping edges and difficult to reach areasSuitable for conventional screw clamps with a max. rail thickness of 13 mm	KT5-1CP				4008158026176	1	V1	14,40
		KT5-2				4008158004587	1	V1	23,00
C-frame edge clamp KT									
	<ul style="list-style-type: none">Three-spindle C-frame clampExtra strong, with forged frameUniversally applicable within the fields of wood and metal processingSuitable for welding	KT8-3	80	80		4008158017600	5	V3	84,10
Panel carrier KFP									
	<ul style="list-style-type: none">Load-bearing capacity 75 kgFor the safe lifting and carrying of panels such as wood sheets, chipboard panels, glass and plexiglassHigh-friction rubber coating on the moving clamping jaws	KFP	10-65			4008158031903	2	V3	111,10
Workbench adapter TW16AW									
	<ul style="list-style-type: none">Accessories for BESSEY TWV and TW clamping elements with 16 hole systemSuitable for all common workbenches with a hole systemCan be used without toolsThe stud pin can be changed to use other hole systems	TW16AW19				4008158039633	1	V3	11,90
		TW16AW20				4008158040059	1	V3	13,00
		TW16AW22				4008158040790	1	V3	13,90
		TW16AW25				4008158040073	1	V3	14,20
		TW16AW30				4008158040097	1	V3	15,40
Clamping element with variable throat depth TWV									
	<ul style="list-style-type: none">Clamping force up to 2,500 NPrecise, individual clampingTempered profile and sliding arm for sprung and elastic clampingInfinitely adjustable throat depth Various design versions: <ul style="list-style-type: none">High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacementLever handle with an indexing mechanism for controlled, fast and vibration-proof clamping	TWV16-20-15-2K	200	30-150	22 x 8,5	4008158038759	1	V3	59,60
		TWV16-20-15K	200	30-150	22 x 8,5	4008158038773	1	V3	59,60
		TWV16-20-15H	200	60-150	22 x 8,5	4008158038766	1	V3	82,20
Clamping element with fixed throat depth TW									
	<ul style="list-style-type: none">Clamping force up to 3,000 NPrecise, individual clampingTempered profile and sliding arm for sprung and elastic clamping Various design versions: <ul style="list-style-type: none">High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacementLever handle with an indexing mechanism for controlled, fast and vibration-proof clamping	TW16-20-10-2K	200	100	22 x 8,5	4008158038681	1	V3	36,40
		TW16-20-10K	200	100	22 x 8,5	4008158038704	1	V3	36,40
		TW16-20-10H	200	100	22 x 8,5	4008158038698	1	V3	65,00
STC accessory set for multifunction table									
	<ul style="list-style-type: none">For using the BESSEY toggle clamps on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm	STC-SET-T20				4008158040288	6	V3	10,50







		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
		STC accessory set for multifunction table							
<ul style="list-style-type: none">• For using the BESSEY toggle clamps on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm		STC-HH50-T20	40			4008158040301	6	V3	36,60
		STC-HH70-T20	60			4008158040318	6	V3	37,30
		STC-IHH25-T20	35			4008158040325	6	V3	38,00
		STC-VH50-T20	40			4008158040332	6	V3	36,60
		Toggle clamp systainer STC-S-MFT							
<ul style="list-style-type: none">• Multi-functional Systainer for installation technicians• With wood insert including 20 holes• And 3 different clamping options• Contents: 4 x STC-HH50, 2 x STC-IHH25 6 x STC-SET-T20, 2 x GTR12		STC-S-MFT				4008158040691	1	V3	341,20
		Seaming tool PS 130, big and strong							
<ul style="list-style-type: none">• For clamping and positioning large and potentially heavy components with a smooth surface, such as artificial stone, ceramic, granite, Corian®, plastic, sheet metal and glass• Manual vacuum pumps for maximum suction power, and therefore a maximum level of horizontal clamping force up to 1,200 N• Marking ring on the pump lever to permanently check for a reliable vacuum• Practical quick adjustment function for rapid adjustment of the distance between the two suction cups		PS130	5-130			4008158035765	1	V3	541,10
		Seaming tool PS 55							
<ul style="list-style-type: none">• For clamping and positioning components with a smooth surface, such as ceramic, granite, Corian®, plastic, sheet metal and glass, which require low clamping forces (up to 260 N)• Clamping levers on the suction cups ensure rapid handling• Cam lever to compensate for differing heights at the joint		PS55	10-55			4008158027050	1	V3	229,70
		Door frame clamp TU							
<ul style="list-style-type: none">• Gently and precisely braces and supports door casing during foam filling of wall joint• Telescopic square anodised aluminium tubing with mm scale and adjusting screw for precision work• Cross-shaped pressure plate with interchangeable clamping elements for frame depths of 6 to 13 cm or 13 to 30 cm• Removable clamping bracket with increased clamping surfaces and removable brackets to insert the door frame securely and easily		TU	565-1010			4008158001302	2	V3	70,70
		Door frame clamp set TU-TRAGE							
<ul style="list-style-type: none">• In a nylon wheeled case or safe and dust-free storage and for easy transport• Contents: 6 (3 sets) door frame clamps for a total of 3 doors		TU-TRAGE				4008158001319	1	V3	440,00
		Door frame brace extension TUX							
<ul style="list-style-type: none">• Accessories to increase the opening width of the TU door frame brace• This enables extra-wide doors to be installed• It can be used without tools in just a few steps		TUX	1040-1960			4008158039398	1	V3	26,90
		Door frame straightening clamp TFM							
<ul style="list-style-type: none">• For quick, precise aligning and fixing of door frames• The intelligent companion for the BESSEY door frame clamp TU and TMS		TFM-2K		70		4008158040714	2	V3	29,70








BESSEY Price list valid from April 1st, 2019

		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
	Angle door frame straightening clamp WTR								
	<ul style="list-style-type: none"> For neatly fixed and stabilised frame corners For mounting at a precise 90° angle 	WTR	8-30			4008158026947	2	V3	76,40
	Door frame assembly device TMS								
	<ul style="list-style-type: none"> Gently and precisely braces and supports door casing during foam filling of wall joint Telescopic round aluminium tube with adjusting screw for precision work With clamping elements on the clamping faces in order to secure struts in frames and to hold them at precise distances On carded hang pack 	TMS	560-1010			4008158026794	2	V3	34,60
	Window installation clamp FRK								
	<ul style="list-style-type: none"> Permits rapid, precise straightening and fixing of window frames 	FRK85	40-85			4008158022321	4	V3	43,70
	Pipe clamping set BPC								
	<ul style="list-style-type: none"> Suitable for steel pipes DN 20/R3/4 or DN 15/R1/2" Outer diameter 26.9 mm or 21.3 mm Infinitely-adjustable clamping width With stand On carded hang pack 	BPC-H12		40		4008158032382	4	V3	26,50
		BPC-H34		42		4008158032375	4	V3	29,30
	Sash clamps TAN with I-profile 80 x 42 x 3.9 mm								
	<ul style="list-style-type: none"> Clamping force up to 24,000 N Easily adjustable pressure plates Removable crank handle Very sturdy thanks to I-profile 	TAN80	800			4008158021560	1	V3	175,90
		TAN120	1200			4008158021577	1	V3	192,60
		TAN150	1500			4008158021584	1	V3	205,50
		TAN210	2100			4008158021607	1	V3	238,40
		TAN250	2500			4008158021614	1	V3	269,50
	Sash clamps TB with T-profile 40 x 40 x 5 mm								
	<ul style="list-style-type: none"> Clamping force up to 14,000 N With attached locking bolt Tommy bar Sturdy thanks to T-profile 	TB100	1000			4008158007984	1	V3	100,80
		TB120	1200			4008158007991	1	V3	105,70
		TB150	1500			4008158008004	1	V3	112,10
		TB210	2100			4008158008028	1	V3	134,40
		TB250	2500			4008158008035	1	V3	154,80
	Sash clamps TL, light with I-profile 37 x 11 x 4.5 mm								
	<ul style="list-style-type: none"> Clamping force up to 9,900 N Easily adjustable pressure plates Crank handle Very sturdy thanks to I-profile 	TL60	600			4008158040745	2	V3	40,30
		TL90	900			4008158040752	2	V3	50,70
		TL120	1200			4008158040769	2	V3	61,00
		TL180	1800			4008158040776	2	V3	81,70
	Spacer AV2 (4 pcs./bag)								
	<ul style="list-style-type: none"> Quickly and infinitely adjustable for wall distances of 5 to 20 mm Spacer for floating laminate and parquet flooring installations Wide contact and support area for avoiding pressure points on the floorboards and plaster Easy to remove by simply turning back Very light and compact 	AV2	20			4008158035895	12	V3	9,80
	Spacer PVA								
	<ul style="list-style-type: none"> Infinitely adjustable for wall distances of 7 to 35 mm Front and lateral support when gluing solid wood floorings Pull-down function dependent on the inclined angle of the spindle, with movable mounted pressure plate with protective cap Extra wide contact area of 130 mm prevents edge damage to the floorboards 	PVA	35			4008158021164	6	V3	26,70








		Order No.	Opening mm	Throat depth mm	Rail mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
	Flooring clamp PVZ								
	<ul style="list-style-type: none"> Sturdy construction Ideal for gluing the first three rows of wooden or laminated floor panels Optimum adjustment of distance from wall 	PVZ65	650			4008158021171	5	V3	83,20
	Flooring and clamping system SVH/SVG								
	<ul style="list-style-type: none"> For laying parquet, laminated and panel flooring SVH with spacer and band of high-strength polyester SVH 400 and SVG – on carded hang pack 	SVH400	4000			4008158023274	1	V3	27,70
		SVH760	7600			4008158032108	1	V3	41,60
		SVG	4000			4008158026817	1	V3	22,20
	Telescopic drywall support ST								
	<ul style="list-style-type: none"> Resilient up to a maximum of 60 kg Stable construction due to special steel pipes and anti-slip PVC contact surfaces Application also on slopes due to continuously swivelable contact surfaces of -45° to +45° Easy, safe handling due to a telescoping and locking inner pipe as well as an outer pipe that can be turned by the foam grip 	ST125	750-1250			4008158031590	10	V3	23,70
		ST250	1450-2500			4008158040110	10	V3	28,40
		ST290	1600-2900			4008158031583	10	V3	31,00
	Sales display ST30-D								
	<ul style="list-style-type: none"> For 30 telescopic drywall support ST Professional sales display The display can be refilled at any time * If you order 30 telescopic drywall supports you will receive this display for free 	ST30-D				4008158040349	1	V3	0,00
	GearKlamp sales display GK-D								
	<ul style="list-style-type: none"> For 18 clamps (per 6 x GK15, GK30, GK45 – on carded hang-pack) Professional sales display The display can be refilled at any time Dimensions: approx. 103 x 54 x 10.5 cm 	GK-D				4008158040851	1	V3	482,10
	Demonstration trolley VFW, unstocked								
	<ul style="list-style-type: none"> Specially developed for sales and demonstration purposes Dimensions: 50 x 60 x 146 cm With label and label holder Please inquire directly at BESSEY for suggestions of placement 	VFW				4008158025001	1	V3	564,30
	Clamp trolley ZW 1								
	<ul style="list-style-type: none"> Stable metal construction on castors Dimensions 50 x 60 x 146 cm Holds up to 90 clamps Malleable cast iron-, all-steel- and lever clamps with clamping ranges between 120 and 600 mm With label and label holder Suitable as sales aid and for the workshop area 	ZW1				4008158017211	1	V3	419,60
		ZW1-A01				4008158032146	1	V2	1.625,30
		ZW1-A01-2K				4008158032115	1	V2	1.666,80
		ZW1-A99-2K				4008158032122	1	V1	1.619,80
	Clamp trolley ZW 2								
	<ul style="list-style-type: none"> Stable metal construction on castors Dimensions 100 x 60 x 153 cm Holds up to 120 clamps, it even holds long screw clamps Malleable cast iron and all-steel with clamping ranges between 200 and 2000 mm With label and label holder Suitable as sales aid and for the workshop area 	ZW2				4008158017228	1	V3	679,60
		ZW2-A99				4008158031699	1	V1	3.093,50
		ZW2-A99-2K				4008158032139	1	V1	3.171,00





BESSEY Price list valid from April 1st, 2019

		Order No.	Overall length mm	Cutting-length mm	Sheet thickness (600 N/mm ²) mm	Barcode	VPE qty.	Dis-count group	Price per piece EUR
Shape and straight cutting snips D39ASS									
	<ul style="list-style-type: none">For continuous, straight and curved cutsExtremely compact cutter head with a partially countersunk head screw connection for increased manoeuvrability and precision for curved cutsJoint area screwed connection with stud bolt, sintered disc and maintenance-free spring for extreme robustnessReduced handle opening angle for optimised handling and an even cutting lengthCentral latch for easy operation without having to change your gripAvailable in right or left cutting versions	D39ASS	230	30	1,2	4010220031957	5	V4	74,30
		D39ASSL	230	30	1,2	4010220031964	5	V4	74,30
		D39ASS-SB	230	30	1,2	4010220032091	5	V4	75,30
		D39ASSL-SB	230	30	1,2	4010220032107	5	V4	75,30
Shape and straight cutting snips D29ASS-2									
	<ul style="list-style-type: none">ERGO-handle for increased comfort-reduced hand fatigue!For continuous, straight and curved cutsCompact cutter head: High manoeuvrability for shape cuttingOptimised leverage ratio: 25 % less effortOptimised edge shape: No slipping even without serrationsAvailable in right or left cutting versions	D29ASS-2	260	33	1,2	4010220030226	5	V4	63,60
		D29ASSL-2	260	33	1,2	4010220030240	5	V4	63,60
		D29ASS-2-SB	260	33	1,2	4010220030233	5	V4	64,60
		D29ASSL-2-SB	260	33	1,2	4010220030257	5	V4	64,60
DSET29-15									
	Contents: 1 x D29ASS-2 1 x D29ASSL-2 1 x D15A in snips pouch	DSET29-15				4010220031339	1	V4	153,20
Shape cutting snips D29SS-2									
	<ul style="list-style-type: none">ERGO-handle for increased comfort-reduced hand fatigue!For short, straight and curved cutsEdges with micro-serrations for slip-proof workingAvailable in right or left cutting versions	D29SS-2	260	40	1,2	4010220030189	5	V4	60,80
		D29SSL-2	260	40	1,2	4010220030202	5	V4	60,80
Straight cutting snips D29BSS-2									
	<ul style="list-style-type: none">ERGO-handle for increased comfort-reduced hand fatigue!For continuous, straight cutsEdges with micro-serrations for slip-proof workingAvailable in right or left cutting versions	D29BSS-2	260	33	1,2	4010220030264	5	V4	69,20
		D29BSSL-2	260	33	1,2	4010220030288	5	V4	69,20
Shape and straight cutting snips D27A									
	<ul style="list-style-type: none">For continuous, straight and curved cutsEdges with micro-serrations for slip-proof workingAvailable in right or left cutting versions	D27A	260	33	1,2	4010220019283	5	V4	50,90
		D27AL	260	33	1,2	4010220019368	5	V4	50,90
		D27A-SB	260	33	1,2	4010220024812	5	V4	51,90
		D27AL-SB	260	33	1,2	4010220024829	5	V4	51,90







		Order No.	Overall length	Cutting-length	Sheet thickness (600 N/mm ²)	Barcode	VPE	Dis-count group	Price per piece
			mm	mm	mm		qty.		EUR
Shape cutting snips D27									
	<ul style="list-style-type: none">For short, straight and curved cutsEdges with micro-serrations for slip-proof workingAvailable in right or left cutting versions	D27	260	40	1,2	4010220000069	5	V4	50,90
		D27L	260	40	1,2	4010220000076	5	V4	50,90
Straight cutting snips D27B									
	<ul style="list-style-type: none">For continuous, straight cutsEdges with micro-serrations for slip-proof workingAvailable in right or left cutting versions	D27B	260	32	1,2	4010220000144	5	V4	55,00
		D27BL	260	32	1,2	4010220019467	5	V4	55,00
Shape and straight cutting snips, robust D17ASS/D17A									
	<ul style="list-style-type: none">For continuous, straight and curved cutsEdges with micro-serrations for slip-proof workingExceptionally robust: Drop-forged handlesPainted handlesAvailable in right or left cutting versions	D17ASS	240	24	1,5	4010220000243	5	V4	76,60
		D17ASSL	240	24	1,5	4010220000250	5	V4	76,60
		D17A	240	24	1,2	4010220019528	5	V4	65,20
		D17AL	240	24	1,2	4010220019559	5	V4	65,20
Ideal snips, manoeuvrable D08									
	<ul style="list-style-type: none">Special flat cutter head enables cutting in narrowest radiusFor continuous, straight and curved cutsEdges with micro-serrations for slip-proof workingAvailable in right or left cutting versions	D08	230	27	1,2	4010220000007	5	V4	40,50
		D08L	230	27	1,2	4010220000014	5	V4	40,50
		D08-SB	230	27	1,2	4010220024720	5	V4	41,50
		D08L-SB	230	27	1,2	4010220024737	5	V4	41,50
MULTISNIP Longstyle D22A									
	<ul style="list-style-type: none">For long continuous straight and large radius cutsExtra long cutting blades, laterally displaced for continous cutsAvailable only in left cutting version	D22A	280	64	1,2	4010220028315	5	V4	47,40
		D22A-SB	280	64	1,2	4010220030745	5	V4	48,40
Aviation snips D16									
	<ul style="list-style-type: none">For short, straight and curved cutsEdges with micro-serrations for slip-proof workingLeft cut model available as well	D16	240	40	1,2	4010220019146	10	V4	28,10
		D16-SB	240	40	1,2	4010220024744	10	V4	29,20
Aviation snips D16L									
	<ul style="list-style-type: none">For short, straight and curved cutsEdges with micro-serrations for slip-proof workingRight cut model available as well	D16L	240	40	1,2	4010220000038	10	V4	28,10
		D16L-SB	240	40	1,2	4010220024751	10	V4	29,10










BESSEY Price list valid from April 1st, 2019

		Order No.	Overall length mm	Cutting-length mm	Sheet thickness (600 N/mm ²) mm	Barcode	VPE qty.	Dis-count group	Price per piece EUR
	Aviation snips D16S								
	<ul style="list-style-type: none"> No offset to blades, for short, straight and curved cuts with a large radius in both left and right directions Edges with micro-serrations for slip-proof working Available only in left cutting version 	D16S	240	44	1,2	4010220001509	10	V4	28,10
		D16S-SB	240	44	1,2	4010220024768	10	V4	29,10
	DSET16								
	Contents: 1 x D16 1 x D16L 1 x D16S in snips pouch	DSET16				4010220031254	1	V4	84,40
	Shape and straight cutting snips, small and manoeuvrable D15A								
	<ul style="list-style-type: none"> For long continuous, straight and curved cuts The extremely small forged heads have optimized blade geometry is very manoeuvrable; perfect for cutting small radii and in confined spaces The compact design results in the highest performance with the minimum of effort ERGO-handle for increased comfort reduced hand fatigue! Available in right or left cutting versions 	D15A	180	20	1	4010220031308	10	V4	26,10
		D15AL	180	20	1	4010220031353	10	V4	26,10
		D15A-SB	180	20	1	4010220031315	10	V4	27,10
		D15AL-SB	180	20	1	4010220031490	10	V4	27,10
	DSET15								
	Contents: 1 x D15A 1 x D15S 1 x D15AL in snips pouch	DSET15			1	4010220031582	1	V4	78,20
	HSS-TiN shape and straight cutting snips D27AH-TiN								
	<ul style="list-style-type: none"> TiN coated cutter head for longer service life even in case of hard materials Case-hardened HSS edges For continuous, straight and curved cuts Available in right or left cutting versions 	D27AH-TiN	260	33	1,2	4010220002117	1	V6	269,90
		D27AHL-TiN	260	33	1,2	4010220002124	1	V6	269,90
	HSS shape and straight cutting snips D27AH								
	<ul style="list-style-type: none"> For continuous, straight and curved cuts Edges made of case-hardened HSS Available in right or left cutting versions 	D27AH	260	33	1,2	4010220000274	1	V6	151,90
		D27AHL	260	33	1,2	4010220000281	1	V6	151,90
	HSS punch snips D407								
	<ul style="list-style-type: none"> For short, straight and curved cuts Edges made of case-hardened HSS PVC dipped handles Available in right or left cutting versions 	D407-275	275	42	1	4010220000298	1	V6	104,30
		D407-275L	275	42	1	4010220000304	1	V6	104,30
		D407-300	300	43	1	4010220000311	1	V6	113,00
		D407-300L	300	43	1	4010220000328	1	V6	113,00

		Order No.	Overall length mm	Cutting length mm	Sheet thickness (600 N/mm ²) mm	Barcode	VPE qty.	Dis- count group	Price per piece EUR
	HSS shape and straight cutting snips D416								
	<ul style="list-style-type: none"> For continuous, straight and curved cuts Cutting edges made of case-hardened HSS PVC dipped handles Available in right or left cutting versions 	D416-280	280	34	1	4010220000373	1	V6	137,30
		D416-280L	280	34	1	4010220000380	1	V6	137,30
	HSS pelican snips D418								
	<ul style="list-style-type: none"> For long continuous and straight cuts Cutting edges made of case-hardened HSS PVC dipped handles Available only in right cutting version 	D418-300	300	62	1	4010220000397	1	V6	143,50
		D418-350	350	65	1	4010220000403	1	V6	182,80
	Shape and straight cutting snips D212/D116								
	<ul style="list-style-type: none"> For continuous, straight and curved cuts D216– Painted handles D116– PVC dipped handles Available in right or left cutting versions 	D216-260	260	30	1	4010220001295	5	V5	45,60
		D216-260L	260	30	1	4010220001301	5	V5	45,60
		D216-280	280	34	1	4010220020333	5	V5	51,90
		D216-280L	280	34	1	4010220020371	5	V5	51,90
		D116-260	260	30	1	4010220020258	5	V5	40,30
		D116-260L	260	30	1	4010220001264	5	V5	40,30
		D116-260-SB	260	30	1	4010220024874	5	V5	41,30
		D116-260L-SB	260	30	1	4010220024881	5	V5	41,30
		D116-280	280	34	1	4010220020302	5	V5	45,80
		D116-280L	280	34	1	4010220020326	5	V5	45,80
		D116-280-SB	280	34	1	4010220024898	5	V5	46,80
		D116-280L-SB	280	34	1	4010220024904	5	V5	46,80
	DSET-SF3								
	Contents: 1 x D216-280 1 x D216,280L 1 x D218-300 in snips pouch	DSET-SF3				4010220022030	1	V5	154,70
	Shape and straight cutting snips D216...-SBSK								
	<ul style="list-style-type: none"> For continuous, straight and curved cuts With no opening stop and with extra pointed cutter head Edges with micro-serrations for slip-proof working Particularly robust, for unusually challenging situations: Snips completely tempered and burnished. Cutter inductively hardened PVC dipped handles Available in right or left cutting versions On carded hang pack 	D216-280-B-SBSK	280	34	1	4010220025697	5	V5	53,60
		D216-280L-B-SBSK	280	34	1	4010220025703	5	V5	53,60
	Pelican snips D218/D118								
	<ul style="list-style-type: none"> For long continuous and straight cuts Extra long blade is ideal for cutting through metal sheets D218– Painted handles D118– PVC dipped handles Available as right cutter (in 300 mm dimension also available as left cutter) 	D218-300	300	62	1	4010220020555	5	V5	50,90
		D218-300L	300	62	1	4010220001424	5	V5	50,90
		D218-350	350	65	1	4010220001448	5	V5	60,30
		D118-300	300	62	1	4010220020517	5	V5	38,40
		D118-300L	300	62	1	4010220001387	5	V5	38,40
		D118-300-SB	300	62	1	4010220025345	5	V5	39,40
		D118-300L-SB	300	62	1	4010220030110	5	V5	39,40
		D118-350	350	65	1	4010220001400	5	V5	45,00











BESSEY Price list valid from April 1st, 2019

		Order No.	Overall length	Cutting length	Sheet thickness (600 N/mm ²)	Barcode	VPE	Dis-count group	Price per piece
			mm	mm	mm		qty.		EUR
	Shape cutting punch snips D214/D114								
	<ul style="list-style-type: none"> For short, straight and curved cuts (especially small radii) Very slick cutting head D214– Painted handles D114– PVC dipped handles Available in right or left cutting versions 	D214-250	250	37	1	4010220001134	5	V5	35,90
		D214-250L	250	37	1	4010220001141	5	V5	35,90
		D214-275	275	43	1	4010220001158	5	V5	40,30
		D114-250	250	37	1	4010220024607	5	V5	25,30
		D114-250L	250	37	1	4010220001080	5	V5	25,30
		D114-250-SB	250	37	1	4010220024850	5	V5	26,30
	Punch snips D207/D107								
	<ul style="list-style-type: none"> For short, straight and curved cuts D207– Painted handles D107– PVC dipped handles Available in right or left cutting versions 	D207-250	250	42	1	4010220020012	5	V5	32,60
		D207-250L	250	42	1	4010220000878	5	V5	32,60
		D207-275	275	42	1	4010220000885	5	V5	36,00
		D207-275L	275	42	1	4010220000892	5	V5	36,00
		D207-300	300	47	1	4010220000908	5	V5	40,50
		D207-300L	300	47	1	4010220000915	5	V5	40,50
		D107-225	225	38	1	4010220000762	5	V5	21,70
		D107-225-SB	225	38	1	4010220025161	5	V5	22,70
		D107-250	250	42	1	4010220019832	5	V5	23,30
		D107-250L	250	42	1	4010220000786	5	V5	23,30
		D107-250-SB	250	42	1	4010220025178	5	V5	24,30
		D107-250L-SB	250	42	1	4010220025185	5	V5	24,30
		D107-275	275	42	1	4010220019900	5	V5	25,30
		D107-275L	275	42	1	4010220019955	5	V5	25,30
		D107-275-SB	275	42	1	4010220025192	5	V5	26,30
		D107-300	300	47	1	4010220019986	5	V5	27,80
		D107-300L	300	47	1	4010220000823	5	V5	27,80
	Punch snips with curved blades D208								
	<ul style="list-style-type: none"> Especially for circular cuts Semi-circular edges Painted handles Available in right or left cutting versions 	D208-275	275	40	1	4010220001035	5	V5	78,40
		D208-275L	275	40	1	4010220020111	5	V5	78,40
	Universal snips D206/D106								
	<ul style="list-style-type: none"> For straight and curved cuts D206– Painted handles D106– PVC dipped handles Available only in right cutting version 	D206-250	250	68	1	4010220019795	5	V5	38,50
		D106-250	250	68	1	4010220000670	5	V5	27,50
		D106-250-SB	250	68	1	4010220030905	5	V5	28,50
	Universal snips with wide blade D106A								
	<ul style="list-style-type: none"> For straight and curved cuts (large radii) PVC dipped handles Available only in right cutting version 	D106A-250	250	67	1	4010220000731	5	V5	27,80
		D106A-250-SB	250	67	1	4010220025635	5	V5	28,80
	Berlin pattern snips D202/D102								
	<ul style="list-style-type: none"> For straight cuts D202– Painted handles D102– PVC dipped handles Available only in right cutting version 	D202-250	250	60	1	4010220000571	5	V5	27,40
		D202-300	300	79	1	4010220000595	5	V5	34,20
		D102-225	225	55	1	4010220000502	5	V5	18,50
		D102-250	250	60	1	4010220000519	5	V5	19,30
		D102-250-SB	250	60	1	4010220024843	5	V5	20,30
		D102-300	300	79	1	4010220000533	5	V5	24,10










		Order No.	Overall length	Cutting-length	Sheet thickness (600 N/mm²)	Barcode	VPE	Dis-count group	Price per piece
			mm	mm	mm		qty.		EUR
English pattern snips D159									
	<ul style="list-style-type: none">• For straight cuts• Available only in left cutting version• Painted handles	D159-200	200	46	1	4010220001806	6	V5	13,30
		D159-250	250	57	1	4010220001813	6	V5	16,50
		D159-300	300	68	1	4010220001820	6	V5	21,00
		D159-350	350	70	1	4010220001837	6	V5	24,50
American pattern snips D146									
	<ul style="list-style-type: none">• For straight cuts• Available only in left cutting version• PVC dipped handles	D146-200	200	41	1	4010220023334	6	V5	15,30
		D146-250	250	54	1	4010220023341	6	V5	17,70
		D146-300	300	68	1	4010220023358	6	V5	22,70
		D146-350	350	72	1	4010220023365	6	V5	30,70
Display, unstocked DVK									
	<ul style="list-style-type: none">• Wire display for up to 42 snips, 6 different types of snips• With label, adhesive label and scanner rail• For counter and perforated panel	DVK				4010220030998	1	V6	146,10
Display, unstocked DVK2									
	<ul style="list-style-type: none">• Wire display for up to 10 snips, 2 different types of snips• With advertising plate and sticker for D39ASS and D39ASSL or neutral for other snips types• For counter and perforated panel	DVK2				4010220032114	1	V6	52,70
Multi-purpose cutters D47-2/D48-2									
	<ul style="list-style-type: none">• ERGO-handle for increased comfort-reduced hand fatigue!• Stainless steel blades• On carded hang pack	D47-2	140	31		4010220030172	15	V5	15,10
		D48-2	190	42		4010220030141	10	V5	16,50
Angled combi snips D48A-2									
	<ul style="list-style-type: none">• ERGO-handle for increased comfort-reduced hand fatigue!• Stainless steel blades• Offset blades• On carded hang pack	D48A-2	190	36		4010220030165	10	V5	17,40
Cable cutters D49-2									
	<ul style="list-style-type: none">• ERGO-handle for increased comfort-reduced hand fatigue!• For multicore cables with diameter up to 10 mm• Stainless steel blades• On carded hang pack	D49-2	165			4010220030158	10	V5	17,40
MULTISNIP Master D51A									
	<ul style="list-style-type: none">• For long continuous straight and curved cuts• All metal parts are made of stainless steel• Handle made of robust fibreglass-reinforced plastic with a soft material insert• On carded hang pack	D51A	235	50	0,4	4010220028933	5	V5	18,40
Multi-purpose cutters D47/D48									
	<ul style="list-style-type: none">• Stainless steel blades• Edges with serrations for slip-proof working• On carded hang pack	D47	140	31		4010220024478	15	V5	12,20
		D48	190	42		4010220024522	10	V5	13,40









BESSEY Price list valid from April 1st, 2019

		Order No.	Overall length mm	Cutting-length mm	Sheet thickness (600 N/mm ²) mm	Barcode	VPE qty.	Dis-count group	Price per piece EUR
	Angled combi snips D48A								
	<ul style="list-style-type: none"> Stainless steel blades Offset blades Edges with serrations for slip-proof working On carded hang pack 	D48A	190	38		4010220024539	10	V5	14,40
	Cable cutters D49								
	<ul style="list-style-type: none"> For multicore cables with diameter up to 10 mm Stainless steel blades On carded hang pack 	D49	160			4010220024454	10	V5	14,40
	Combinox D50								
	<ul style="list-style-type: none"> Stainless steel blades Ergonomically designed handles with soft-insert With wire guide for cutting binding wire to Ø 2.5 mm Circular cutting to stop for stripping cable from Ø 1.0 to 1.5 mm On carded hang pack 	D50	190	40		4010220018439	10	V5	21,60
	Folding utility knife DBK-EU								
	<ul style="list-style-type: none"> Comfortable plastic handle Blade compartment with 5 replacement blades included Thumb cushion for max. contact pressure Belt clip On carded hang pack 	DBKPH-EU	160	28		4010220030509	12	V6	20,80
	<ul style="list-style-type: none"> High quality wooden handle Quick blade exchange Belt clip On carded hang pack 	DBKWH-EU	160	28		4010220030516	12	V6	19,40
	<ul style="list-style-type: none"> Light weight aluminium handle Quick blade exchange Belt clip On carded hang pack 	DBKAH-EU	160	28		4010220030523	12	V6	18,20
	Knife-set DBKPH-SET								
	<ul style="list-style-type: none"> Knife with comfortable plastic handle Practical nylon zip-up case Four different blades for different tools On carded hang pack 	DBKPH-SET				4010220030752	8	V6	30,90
	Spare blades DBK								
	<ul style="list-style-type: none"> Suitable for all BESSEY bladed folding utility knives On carded hang pack 	DBK-T	60			4010220030790	1	V6	3,40
		DBK-H	50			4010220030806	1	V6	5,70
		DBK-L	87			4010220030813	1	V6	6,20
	Multitool DBST								
	<ul style="list-style-type: none"> 1 Multitool with 7 options: Shears, blade, saw, file, Phillips head screwdriver and large and small slotted screwdriver Cuts: Leather, rope, vinyl, thin cable, cord, thin plastic, paper and much more besides With a robust belt pouch for secure, it provides handy storage Stainless steel handle with soft cushioned elements for slip-free work On carded hang pack 	DBST		55		4010220031483	8	V6	28,10

		Order No.	Overall length mm	Cutting-length mm	Sheet thickness (600 N/mm ²) mm	Barcode	VPE qty.	Dis-count group	Price per piece EUR
	Jewellers' snips D70/D71								
	<ul style="list-style-type: none"> Closed handles Completely nickel coated 	D70-1	180	31		4010220001875	12	V5	12,70
		D71-1	175	32		4010220001899	12	V5	14,50
	Jewellers' snips D72								
	<ul style="list-style-type: none"> Open handles Completely nickel coated 	D72-1	180	31		4010220001912	12	V5	12,70
	Jewellers' snips D74/D75								
	<ul style="list-style-type: none"> With handle loops Completely nickel coated 	D74-1	180	34		4010220001950	12	V5	12,40
		D75-1	175	33		4010220001974	12	V5	14,50
	Jewellers' snips D76								
	<ul style="list-style-type: none"> Closed handle with spring Completely nickel coated 	D76-1	180	26		4010220001998	12	V5	14,70
	Multi-purpose shears D820								
	<ul style="list-style-type: none"> Stainless steel blades Comfortable handles loops with soft cushion inserts On carded hang pack 	D820-200	200	80		4010220029985	12	V5	13,60
		D820-250	250	105		4010220029992	12	V5	18,70
	Multi-purpose shears D821								
	<ul style="list-style-type: none"> Stainless steel blades Comfortable handles loops with soft cushion inserts On carded hang pack 	D821-160	160	70		4010220002537	12	V5	10,30
		D821-180	180	80		4010220002544	12	V5	12,10
	Electricians' scissors D53								
	<ul style="list-style-type: none"> Nickel plated serrated blades With a wire cutter 	D53	125	40		4010220002063	12	V5	12,70
	Household and dressmakers' shears D840								
	<ul style="list-style-type: none"> Completely nickel coated 	D840-150	150	50		4010220002612	12	V5	9,80
		D840-180	180	77		4010220002629	12	V5	12,70
	Paperhangers' and paper shears D853								
	<ul style="list-style-type: none"> Completely nickel coated 	D853-200	200	95		4010220002766	12	V5	16,30
	Industrial and professional shears D860								
	<ul style="list-style-type: none"> Robust design Black handle Oblong and round handle loops 	D860-200	200	80		4010220024553	6	V5	17,00
		D860-225	225	85		4010220002827	6	V5	21,30
		D860-250	250	90		4010220024560	6	V5	26,40

BESSEY Price list valid from April 1st, 2019

		Order No.	Overall length mm	Cutting-length mm	Sheet thickness (600 N/mm ²) mm	Barcode	VPE qty.	Dis-count group	Price per piece EUR
Safety strap cutter D123S									
	<ul style="list-style-type: none">• Cutting of steel straps up to 32 x 1 mm with just one hand• Holds banding tightly during cutting to prevent banding from springing up• ERGO-handle for increased comfort-reduced hand fatigue!	D123S	260	38		4010220030981	5	V5	128,00
		D123S-SB	260	38		4010220031018	5	V5	129,00
Steel strap cutter D122N									
	<ul style="list-style-type: none">• The lower holder prevents band ends from springing up• For band width up to 25 mm, band thickness up to 0.6 mm• Flat lower jaw easily slips under taut banding• Painted handles	D122N	225	31		4010220020616	5	V5	35,30
Steel strap cutter D122A									
	<ul style="list-style-type: none">• Flat lower jaw easily slips under taut banding• High price to performance ratio• For band width up to 25 mm, band thickness up to 0.6 mm• PVC dipped handles	D122A	260	30		4010220001585	5	V5	32,40
		D122A-SB	260	30		4010220030912	5	V5	33,40
Seaming and clinching pliers D33/D34/D35									
	<ul style="list-style-type: none">• Forged in quality steel• Black powder coated• Minimum jaw depth straight 60 mm• Minimum jaw depth bent 50 mm	D33-60	280			4010220003091	6	V6	68,70
		D331-40	280			4010220027424	6	V6	50,60
		D331-60	280			4010220003114	6	V6	40,50
		D331-80	320			9002793006147	5	V6	81,10
		D34-60	270			4010220003145	6	V6	78,70
		D341-40	270			4010220027431	6	V6	61,10
		D341-60	270			4010220021989	6	V6	43,30
		D341-80	320			9002793006208	5	V6	90,60
		D35-60	255			4010220003183	6	V6	82,00
		D351-60	255			4010220003190	6	V6	49,30
Seaming and clinching pliers D33-P/D34-P/D35-P									
	<ul style="list-style-type: none">• Forged in quality steel• Black powder coated• PVC-coated handle• Minimum jaw depth straight 60 mm• Minimum jaw depth bent 50 mm	D33-60-P	280			4010220021927	6	V6	70,40
		D331-60-P	280			4010220021941	6	V6	42,20
		D34-60-P	270			4010220021972	6	V6	80,40
		D341-60-P	270			4010220022009	6	V6	45,00
		D35-60-P	255			4010220022047	6	V6	83,70
		D351-60-P	255			4010220022078	6	V6	51,00

		Order No.	Overall length mm	Cutting-length mm	Sheet thickness (600 N/mm²) mm	Barcode	VPE qty.	Dis-count group	Price per piece EUR
Mini-folding pliers D331-22/D341-22									
	<ul style="list-style-type: none">• For small and precise seaming– and bending operations• Forged from quality steel• PVC-coated handles• Completely hardened• Jaw depth straight 30 mm• Jaw depth bent 28 mm	D331-22	180			4010220002575	10	V6	42,50
		D341-22	180			4010220002681	10	V6	47,60
Flat-nosed pliers for sheet metal work D301									
	<ul style="list-style-type: none">• Forged from quality steel• PVC-coated handles• Flat jawed pliers• Jaw depth 45 mm• Serration every 0.8 mm	D301	240			4010220003015	6	V6	40,20
Round nosed pliers D311									
	<ul style="list-style-type: none">• Forged from quality steel• PVC-coated handles• Round jawed pliers• Jaw depth 50 mm• Serration every 1 mm	D311	260			4010220003039	6	V6	40,20
Folding pliers D355									
	<ul style="list-style-type: none">• Forged from quality steel• Bronzed• PVC-coated handles	D355	250			9002793211008	5	V6	60,10
Corner seaming and clinching pliers D335									
	<ul style="list-style-type: none">• Forged from quality steel• Bronzed• PVC-coated handles• Jaw depth 65 mm	D335	280			9002793211398	5	V6	86,80
Squeeze-folding pliers D336									
	<ul style="list-style-type: none">• Forged in quality steel• Burnished• PVC-coated handles• Jaw depth 80 mm	D336	320			9002793211435	5	V6	126,70
Pipe-pulling pliers D36									
	<ul style="list-style-type: none">• 3 bottom- and 2 top jaws enable quick and efficient work• Self-opening• Completely galvanised• PVC-coated handles• Jaw depth 28 mm	D36	250			4010220002407	1	V6	42,20
Gutter support bowing pliers open shap D396									
	<ul style="list-style-type: none">• 10 mm recess width for gutter irons up to 40 x 6 mm• Head made of rust-proof malleable cast iron• Gliding role for protecting the plastic-coated gutter irons	D396	680			4010220002704	1	V6	109,80

For your notes

[illegible]

[illegible]



E-Newsletter



<http://www.bessey.de>



<https://www.facebook.com/BESSEY.Tool.Einfach.Besser>



<http://www.instagram.com/besseytool>



<http://www.youtube.com/user/besseytoolsdeutsch>



<http://newsletter.bessey.de>

www.bessey.de

BESSEY Tool GmbH & Co. KG ■ Mühlwiesenstraße 40
74321 Bietigheim-Bissingen, Germany
Fon +49 7142 401-0 ■ Fax +49 7142 401-452
E-Mail: info@bessey.de